

INDUSTRIAL & OFFICE SEATING

DELUXE SWIVEL STOOLS

- 360° swivel motion is ideal for workers who have repetitive side to side movement
- Seat easily adjusts to your selected height, just raise or lower the steel rod and lock securely in place
- 2" foam over a 1/2" plywood base and 1/2" foamed backrest
- All-welded frame constructed of 1" diameter 16-gauge steel
- 3/4" circular tube footrest
- Four leg cluster design has a 22" spread giving them optimum stability
- Black vinyl upholstery with a royal grey frame
- Optional casters available



OJ905 has an ergonomic self-skinned molded polyurethane foam seat and back, features lumber support, waterfall seat and 4-leg frame for superior comfort and durability.

Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
OJ905	25 - 31	19 x 17	33
FC670	25 - 31	19 x 17	33
FC675	Set of 4 Casters	-	2

STATIONARY & ADJUSTABLE HEIGHT STOOLS

Stationary



Adjustable



- Ruggedly built for long lasting service in a warehouse factory or office
- All-welded frame is a 7/8" diameter steel tube
- Legs are braced with a 3/4" 18-gauge circular footrest for increased strength and stability
- 14" diameter embossed steel seat has a 1/8" tempered hardboard inlay
- **FC656** has a 14 1/2" x 15" sq. seat and is reinforced by steel bars
- All stools have four chrome floor glides that will not damage floors
- On the adjustable models the telescopic legs have screw locks that adjust on 1" increments
- Contoured back rest constructed of 19-gauge steel
- Royal grey

Model No.	Height"	Seat Dimensions"	Wt. lbs.
STATIONARY HEIGHT			
A. FC649	24	14	20
B. FC647	24	14	12
B. FC648	30	14	14

Model No.	Height"	Seat Dimensions"	Wt. lbs.
ADJUSTABLE HEIGHT			
C. FC653	25 - 33	14	12
D. FC655	25 - 33	14	20
E. FC656	18 - 26	14 1/2 x 15	18

SPECIALTY STOOLS

- Designed specifically for laboratories and medical offices
- 14" diameter, 3" high, vinyl-covered seat
- Pneumatic mechanism to adjust the height
- Footring is standard on stools with a 20" - 33" adjustable height, optional on the other stools
- Optional casters or glides available



MUR-VAN MANUFACTURING

Model No.	Adjustable Height"	Wt. lbs.
WITH CASTERS		
OC785	16 - 22	14
OC786	20 - 28	18
OC787	23 - 33	20
WITH GLIDES		
OC788	16 - 22	14
OC789	20 - 28	18
OC790	23 - 33	20

Optional footring **OC819** for heights 16"-22" and 21"-28" only

SWIVEL STOOLS

- Seats made of 19-gauge embossed steel with 1/8" tempered hardboard inlay
- 1" diameter, 16-gauge steel frame all-welded tubing
- Circular 18-gauge footrest guarantees comfort and stability
- Heavy-duty rubber cushioned steel glides protect floors
- 1" x 14 1/2" long steel adjustment stem for easy height selection on all units
- 9 1/2" x 15 3/4" backrest is 4-way adjustable
- Optional casters available: **FC675**



Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
FC658	22 - 28	14	19
FC661	22 - 28	14	28
FC665	17 - 23	14 1/2 x 15	27
FC675	Set of 4 Casters	-	2

SIT/STAND STOOLS

- Sit/stand stools dramatically reduce fatigue for workers unable to sit down on the job
- Can be positioned for up close work
- **FC683** heavy gauge triangular glides provide safety, features a built-in footrest, a 15" wide x 13 7/8" high self skinning polyurethane seat mounted to an adjustable spring suspension frame that automatically tilts forward up to 15° while in use
- Removable seat attaches to frame with a double pin locking system which easily adjusts to 12 positions from 21" to 35"
- **FC685** features a sturdy, tip proof 5-leg base with a padded comfortable "Bicycle style" seat
- Pneumatic height adjustment from 23 1/2" to 33 1/2"

Model No. FC683 Manual Adjustment
Model No. FC685 Pneumatic Adjustment



INDUSTRIAL & OFFICE SEATING

INDUSTRIAL SEATING

- Features a full 8" of pneumatic lift while seated
- Exclusive extension tube provides an adjustable height range of 17" to 35"
- Seats and backs are microcellular self skinning polyurethane foam which inhibits punctures, tears and moisture absorption
- Large 26" diameter 5-leg steel base with 2 1/2" diameter glides ensure stability and safety even at the highest levels
- Large wide angle footrests make it easy to step up into seat

FC680

Features 22° back angle and 10° seat tilt adjustment w/double paddle handles.



FC681

Features 3" back rest height and 3" back rest depth adjustment.

Assembly required.



Model No.	Dimensions"				No. of Footrests
	Seat		Backrest		
FC680	18-1/2	x 17	15-3/4	x 9	3
FC681	16-1/4	x 16-1/4	14-1/2	x 9	1

PNEUMATIC SWIVEL STOOLS

- 5" gas lift
- Height adjusts from 15" to 20 1/2"
- Black select vinyl
- Weight: 10 lbs

Model No. OD846



OD847



- 10" gas lift
- Height adjusts from 22" to 32"
- Options SKR18 footring
- Weight: 12 lbs

Model No. OD847

STEEL BASE SWIVEL STOOLS

- 5" pneumatic lift of 25" to 30", for easy height adjustment
- Five legs and an all-welded steel base, gives optimum stability
- 16-gauge, 1" diameter steel legs • Full 360° rotation
- Powder-coated black Santex
- Optional casters are available



OJ973



OJ974



OJ975

Model No.	Upholstery Seat	Seat Dimensions"	Wt lbs.
OJ973	Vinyl & Foam-Padded Seat & Back	19 x 17	33
OJ974	Polyurethane Seat & Back	18 x 17	33
OJ975	Premium Self Skinned Polyurethane Seat & Back	19 x 18	35
OJ976	Optional Set of 5 Tile Casters (Includes Leg Insert Socket)		

SHOPTECH ERGONOMIC INDUSTRIAL STOOLS



- Industrial seating that brings ergonomic comfort and productivity to the shop floor, the laboratory or the shipping office
- Durable, easy to clean, molded polyurethane seating is the perfect solution for clean rooms or wipe down applications
- **OE088** has an overall height of 16 to 21 1/2" with a 19" W x 14" D seat
- **OE089** sit/stand stool has an overall height of 19 to 26 3/4", seat is 19" W x 14" D with a 6" W x 5" H back



Model No.	Description	Wt. lbs.
OE088	Stool	20
OE089	Sit/Stand	19

ERGONOMIC INDUSTRIAL SHOP SEATING

- Industrial chairs featuring comfortable and supportive seating that is easy to clean
- Seats made of a soft molded polyurethane material, backs formed to support the body for greater comfort and less fatigue
- Adjustable back rest
- Nylon base with dual wheel hard floor casters
- Optional chrome foot ring
- Glides recommended with foot ring
- Model **OC816** and **OC821** task chairs have adjustable backrest height, depth and angle
- Optional stool kit model **OC822**



Model No.	Description	Adjustable Height"	Overall Dimensions			Wt. lbs.
			W"	x D"	x H"	
W/CASTERS						
OC815	Operator's Chair	27 to 32-1/2	21	x 20-1/2	x 32-1/2	25
OC816	Task Chair	27 to 32-1/2	21	x 20-1/2	x 32-1/2	26.5
NH450	Operator's Chair w/Stool Kit	34 to 44	21	x 20-1/2	x 44	30
NH451	Task Chair w/Stool Kit	34 to 44	21	x 20-1/2	x 44	31.5
W/GLIDES						
OC820	Operator's Chair	27 to 32-1/2	21	x 20-1/2	x 32-1/2	25
OC821	Task Chair	27 to 32-1/2	21	x 20-1/2	x 32-1/2	26.5
NH452	Operator's Chair w/Stool Kit	34 to 44	21	x 20-1/2	x 44	30
NH453	Task Chair w/Stool Kit	34 to 44	21	x 20-1/2	x 44	31.5

DRAFTING STOOLS

- Designed with a contoured seat and back
- 3-way back adjustment provides user comfort
- Seat and back are made with a solid 3/4" plywood frame
- Standard 100% polypropylene black fabric upholstery
- One piece durable plastic base with chrome footrest
- Two pneumatic gas levers simplify height adjustment from 23" to 33" and ergonomic tilt
- With casters

Model No. OA286



INDUSTRIAL & OFFICE SEATING

1405 & 1410 PREMIUM SERIES CHAIRS

- Task and operator chair
- Molded foam cushions
- "One-touch" ergonomic chair controls
- Gas lift height adjustment
- Back height and depth adjustment
- Seat and back angle adjustment on 1410 Series
- Optional arms and stool kit available
- Dual wheel carpet casters

Black Onyx



Charcoal



OE744



OE748

Model No.		Description	Seat Dimensions			Back Dimensions	
Black Onyx	Charcoal		W"	D"	H"	W"	H"
OE744	OE745	1405 Series chair	18-1/2	x 22	x 32-36 3/4	16 1/2	x 14
OE746	OE747	1405 Series w/stool kit	23-1/2	x 22	x 39 1/2-44 1/4	16 1/2	x 14
OE748	OE749	1410 Series multi functional	24-1/2	x 23 1/2	x 33-38 1/2	17 1/2	x 15

TASK CHAIRS & ECONOMICAL STENO CHAIRS

- Pneumatic height adjustments
- Backrest height adjustments
- Five prong nylon base
- Dual wheel carpet casters
- Stool kit available
- Optional arms
- Optional glides (recommended with stool kit)

Black Onyx



Charcoal



OC312



OE095

Model No.		Description	Seat Dimensions			Back Dimensions			Wt. lbs.
Black Onyx	Charcoal		W"	D"	H"	W"	H"		
ECONOMICAL STENO CHAIRS									
OC310	OC309	w/o arms	20-1/4	x 23	x 28 1/2-36	16 1/2	x 11 1/2	30	
OC312	-	w/T-arms	25-1/4	x 23	x 28 1/2-36	16 1/2	x 11 1/2	32	
OE093	OE092	w/stool kit	20-1/4	x 23	x 36-41	16 1/2	x 11 1/2	35	
TASK CHAIRS									
OE095	OE094	w/stool kit	23-1/2	x 22	x 40-45 1/2	17 1/2	x 15	35	

OPTIONS FOR CHAIRS

Model No. OA271
Loop Arm Kit
(width adjustable)



Model No. OC323
T-Arm Kit (width & height adjustable)



Model No. OA269
Stool Kit



ACTIV® A-43 MID-BACK MESH-CHAIRS

- Tilt mechanism with lockout feature and tension adjustment
- Height and depth adjustable lumbar support
- Optional height and tilt adjustable headrest
- Adjustable height: 39 1/2" to 42 1/2"
- Back: 22" H x 19 1/2" W
- Seat: 19 1/2" W x 19 1/2" D
- Chair overall dimensions: 25 3/4" W x 23" D x 42 1/2" H
- Height and width adjustable armrests
- Fabric: Standard black
- Black base and gas cylinder
- Custom upholstery available



Model No.	Description
OK208	Mid Back Mesh-Chair
ON573	Head Rest

ACTIV® SERIES A-96 MESH CHAIRS

- Flexibly adjusts to support your back as you move in your seat while working
- Allows airflow to your back to keep you cool and comfortable
- Feels soft and comfortable, not rigid, against your back
- Mesh contoured shaped back
- Black fabric on seat
- Pneumatic seat height adjustment between 37" to 40"
- Seat: 19 1/4" W x 20" D
- Backrest: 19 1/2" H x 18" W
- Overall dimensions: 25 1/4" W x 21 3/4" D x 40" H
- Fixed armrests
- Tilt feature with lockout
- Tension adjustment
- Chrome base and gas cylinder
- Carpet caster



Model No. OK210

ACTIV® A-618 LEATHER MANAGER'S CHAIRS

- Thick padded and contoured seat and back for superior comfort
- Seat: 21 3/4" W x 21" D
- Backrest: 24" H x 21 1/2" W
- Overall dimensions: 25 1/4" W x 21 1/2" D x 46" H
- Back features built-in lumbar support which allows increased relaxation of the back
- Contoured armrests for increased support
- Pneumatic seat height adjustment from 43" to 46"
- A tilt mechanism with lockout
- Tension adjustment
- Contoured backrest shaped to fit the contours of the body
- Soft-touch leather like fabric



Model No. OK390



INDUSTRIAL & OFFICE SEATING

ACTIV™ A-20 GUEST CHAIR

- Breathable mesh back
- Padded seat for comfort
- Seat Width: 18.5"
- Seat Depth: 19.5"
- Backrest Height: 16"
- Weight Capacity: 250 lbs.
- Overall Dimensions: 22-1/2" W x 22-1/2" D x 31" H

Model No. OP794



ECONOMY DRAFTING CHAIRS

- Pneumatic seat height control adjusts from 23" to 33"
- Manual back height and depth adjustment
- Chrome-plated adjustable footring
- Five-star nylon-reinforced base for strength and durability
- Back dimensions: 16" W x 9 1/2" H
- Seat dimensions: 18 3/4" W x 16 5/8" D



Model No.	Colour	Wt. lbs.
OE096	Black	25



POLYPROPYLENE FOLDING CHAIRS

- Durable contoured back and seat for all day comfort
- Steel framing and folding legs for extra strength
- Easy to clean
- Dimensions: 16 1/2" D X 18 3/4" W X 35" H
- Capacity : 350 lbs.



Model No	Colour
ON602	White
OP448	Black
OP449	Blue



STEEL FOLDING CHAIR

- Folding frame saves space
- Easy to transport
- Easy to clean
- Overall dimensions: 18-1/2" W x 15-3/4" D x 30-1/2" H
- Weight Capacity: 300 lbs.



Model No.	Colour	Material	Description
OP960	Black	Steel	-
OP961	Beige	Steel	-
OP962	Black	Steel	Vinyl Padded Chair for Extra Comfort
OP963	Beige	Steel	Vinyl Padded Chair for Extra Comfort



OP963

STAG4 ERGONOMIC SEATING

- Ergonomic seat allows user to work in a kneeling position with comfort
- Reduced pressure sensations felt in the knees, ankles and lumbar region
- 1-lever mechanism for seat height adjustment and 20° adjustable slope for kneeling position
- Padding: Dual-density cushions, closed-cell foam
- Upholstery for standard unit: Easy to maintain black/grey moburg and naugahyde, antibacterial, antistatic material
- For welding unit: Flame retardant natural cow suede
- Standard pneumatic lift: 17.5" to 22.5"
- Dimensions:
 - Knees: 8.5" W x 15.5" D
 - Seat: 12.5" W x 12" D
 - Steel base: 21" x 27"
- Five 3" caster wheel adaptable to all surfaces
- Includes small tool tray



Synetik ErgoDesign

Model No	Description
OG347	Ergonomic Bench
OG348	Ergonomic Bench w/Welding Fabric



TF180 ERGONOMIC INDUSTRIAL STOOLS

- An ergonomic stool with a larger seat improving workers comfort
- Standard pneumatic lift: 20.5" to 28.25"
- Dimensions:
 - Seat: 17.5" W x 14" D
 - Backrest: 12" W x 14" H
- Mechanism: three levers seat height adjustment, tilting seat, and tilting backrest
- Padding: Dual-density cushions, closed-cell foam
- Base: 28" diameter, steel
- Five 3" caster wheels adaptable to all surfaces



Synetik ErgoDesign

Model No	Description
OP241	Ergonomic Industrial Stool
OP242	Ergonomic Stool w/Welding Fabric



DOUBLE-SIDED FOLDING CHAIR CADDY

- Easy to maneuver with 4", non-marking, blue, rubber swivel casters
- All-welded steel construction arrives ready to use
- Holds up to 72 Kleton polyethylene folding chairs or up to 84 Kleton steel folding chairs
- Overall Length: 64-1/2"
- Overall Width: 35-1/2"
- Overall Height: 73"
- Colour: Black
- Weight: 98 lbs.

Model No. OQ768



Chairs not included



COMPUTER EQUIPMENT

ACTIVERGO™ MONITOR ARM

- Cost-effective and ergonomic alternative for monitor support
- Extend, tilt and swivel your monitor up to 90° left and right for easy viewing
- Tilt motion makes it easy to reduce glare
- Clamp and grommet mount are included
- Features cable management clips
- Fits most 13" to 27" monitors
- VESA standard mounts for monitors (75 and 100 mm)
- Reach: 16.75"
- Weight Capacity Per Arm: 17.6 lbs. (8 kg.)
- Frame: Steel and aluminum structure
- Finish: Silver
- Warranty: 5 year



OP802
Monitor not included

Model No.	No. of Screens
OP802	1
OP803	2

MOBILE COMPUTER CABINETS

- All-steel welded construction
- Top monitor compartment is 22 1/2" W x 23" D x 18 3/4" H with a slide-out keyboard shelf
- Locks independently of bottom section which includes two adjustable shelves
- 5" polyolefin casters (two rigid, two swivel w/brake)
- **Includes:** Vented back for air circulation and a 6-outlet power strip with built-in surge suppression
- Overall dimensions: 26" W x 24" D x 64" H
- Weight: 149 lbs.
- Durable baked enamel blue and light grey finish
- Shipped fully assembled

Model No. OC532



MOBILE COMPUTER CABINETS

- All-steel construction
- Slide-out keyboard tray
- Lower lockable cabinet is 24 5/8" W x 22 7/8" D x 22 5/8" H
- 2-position shelf can be located for desk top style or up to 18" H tower style CPU's
- Fixed shelf is 24 5/8" W x 22 7/8" D x 11 1/2" H and provides ample room for any sheet fed style or continuous form style printer
- Rear cabinet access holes for paper feed, cables and ventilation fan (not included)
- 5" polyolefin casters (two rigid, two swivel w/brake)
- Overall dimensions: 27" W x 24" D x 49 1/4" H
- Blue
- Weight: 125 lbs.
- Shipped knocked down, assembly required with simple hand tools

Model No. OC839



GOYA™ SIT-STAND WORKSTATION

- Transforms any seated desk into a sit-stand workstation
- Easily adjustable due to gas assisted lift mechanism
- Adjustable keyboard surface tilts
- Can accommodate both clamp and grommet mount monitor arms
- No assembly required



Model No.	Colour	Overall Dimensions			Weight Capacity lbs.
		W" x D" x H"			
OQ763*	Black	31-1/2 x 24 x 20			33
OP807	Black	35-2/5 x 24 x 20			35
OQ728	White	35-2/5 x 24 x 20			35
OQ762	Black	42 x 20 x 16			45

*22 height settings for optimal viewing

MOBILE SECURITY COMPUTER CABINETS

- Secure locking cabinet with resistant acrylic see-thru window for LCD monitor
- Slide-out locking keyboard is 19 3/4" W x 17 1/2" D x 4" H
- Lower compartment is 20 1/2" W x 21" D x 23 1/2" H and has a locking front and rear access doors
- Two convenient side wing shelves for additional work space, fold down when not required
- 5" heavy-duty casters (two rigid, two swivel w/brake)
- Overall dimensions: 24 1/2" W x 22 1/2" D x 62 1/4" H
- Powder coat finish provides a durable finish



OG880



Model No.	Colour
OG880	Blue
OG882	Light Grey

COMPUTER CABINETS

- A unique 2-piece heavy-duty all-welded steel construction that provides space efficient security for your valuable electronic equipment
- Locking upper compartment with plexiglass window provides viewable access for most 20" monitors
- Lower compartment features one fixed bottom and one adjustable shelf
- Top level can be bolted onto a desk (bolts not included)
- Louvers in the rear provide equipment ventilation
- Heavy-duty all-welded steel top and bottom sections bolt together for easy assembly
- **Includes:** 5" casters (two rigid, two swivel w/brake)

OE825



Model No.	Description	Dimensions			Colour
		W" x D" x H"			
OE824	Complete Enclosure w/Casters	24 1/2 x 22 1/2 x 59 1/2			Light Grey
OE825	Complete Enclosure w/Casters	24 1/2 x 22 1/2 x 59 1/2			Putty
OE826	Top Level (Internal)	20 3/4 x 21 3/4 x 19 1/4			Light Grey
OE827	Top Level (Internal)	20 3/4 x 21 3/4 x 19 1/4			Putty

MAIL CARTS & LITERATURE RACKS

WIRE MESH OFFICE MAIL CARTS

- Ideal for carrying hanging folders, packages and office supplies
- Comes with three wire dividers and two removable baskets
- Shipped knocked down
- Capacity: 250 lbs.
- Colour: Chrome
- Overall Depth: 23"
- Overall Length: 42"
- Overall Height: 38"
- Cart Material: Chrome Plated
- No. of Shelves: 2
- No. of Baskets: 2

Model No. MO843

KLETON



ECONO/STOR® BOXES

- The perfect choice for economical storage of semi-active or dead records
- Recycled material
- **OA081** can be adapted to hold up to one cubic foot of legal or letter size



OA081



OA082

Model No.	Record Size	Dimensions				Stackable Up To
		W"	x	D"	x H"	
OA082	Letter	12	x	24	x 10	650 lbs.
OA079	Legal	15	x	24	x 10	700 lbs.
OA081	Letter or Legal	12	x	15	x 10	350 lbs.

LITERATURE STORAGE RACKS

- Construction is of sturdy heavy gauge steel
- Provide a convenient and compact way to store literature
- Most models accommodate 150 standard 8 1/2" x 11" sheets, while others are wider to hold magazines and special forms

OC553



OC540



OA163




OA148




OA163

DURHAM MFG
Est. 1922



ROTATING LITERATURE RACKS



OC547

OC549

OC553

Putty	Model No.			Overall Dimensions				Openings				Paper Width"	No. of Pockets	Wt. lbs.	
	Grey	Tan	Black	W"	x	D"	x H"	W"	x	D"	x H"				
OC540	OA152	OA130	OC536	9 3/4	x	4 1/8	x 65 1/2	8 5/8	x	3/4	x 8 1/2	8 1/2	23	32	
OC559	OA166	OA156	OA607	13 1/8	x	4 1/8	x 58 1/2	12 1/8	x	1	x 8 3/4	12	20	38	
OC541	OA161	OA155	OC537	9 3/4	x	4 1/8	x 36	8 5/8	x	3/4	x 8 1/2	8 1/2	11	18	
OC558	OA148	OA162	OA125	13 1/4	x	4 1/8	x 36	12 1/8	x	1	x 8 3/4	12	11	24	
OC543	OA169	OA165	OC539	9 3/4	x	4 1/8	x 21	8 5/8	x	3/4	x 8 1/2	8 1/2	5	9	
OC557	OA163	OA144	OA609	13 1/8	x	2	x 26 1/4	12 1/8	x	5/16	x 5 5/8	12	10	13	
ROTATING LITERATURE RACKS															
OC553	OA149	OA179	OC552	14 1/8	x	14 1/8	x 66	8 5/8	x	3/4	x 8 1/2	8 1/2	92	136	
OC549	OA134	OA158	OC548	14 1/8	x	14 1/8	x 48 1/2	8 5/8	x	3/4	x 8 1/2	8 1/2	44	92	
OC547	OA145	OA128	OC546	14 1/8	x	14 1/8	x 21 1/4	8 5/8	x	3/4	x 8 1/2	8 1/2	20	47	

FILING SYSTEMS

VERTICAL FILING SYSTEMS

Ideal for filing blueprints, charts, artwork and other oversized documents. Cuts filing and retrieving time; saves on floor space. Exclusive suspension system allows clamps to slip easily in and out of storage racks. Clamps open to 1" to hold up to 100 individual sheets (20 lbs. maximum weight per clamp).

HEAVY-DUTY MOBILE STANDS

- Steel construction with four 3" ball bearing swivel casters (two lock)
- Holds 12 hanging clamps in pivot brackets that swing open for easy access to contents
- Height adjusts from 43 5/8" to 61 5/8" for sheets up to 54" long
- Adjusts from width 27 1/2" to 37 1/2"
- Tropic sand finish
- Assembly required



Model No.	Description	Wt. lbs.
OE129	Mobile Stand Only	47
OA195	Mobile Stand with 12-24" Clamps	61
OA196	Mobile Stand with 12-30" Clamps	63
OA213	Mobile Stand with 12-36" Clamps	65
OA197	Mobile Stand with 12-42" Clamps	67

PRINT-LOCK® HANGING CLAMPS



- Clamps hold up to 100 sheets or 20 lbs.
- Green plastic label holders included
- Available in natural aluminum with polished chrome plated cast alloy wing knobs and black end caps



Model No.	Description	Clamp/Pkg.	Wt. lbs.
OE135	18" Long Hanging	6	6
OE136	24" Long Hanging	6	7
OE137	30" Long Hanging	6	8
OE138	36" Long Hanging	6	9
OE139	42" Long Hanging	6	10

CASH BOXES WITH LATCH LOCK

- Cash boxes provide a secure place to store money, receipts, cheques and other valuables
- Made of solid steel (0.8mm thickness)
- Removable tray with 1 bill and 6 coin compartments
- Additional storage under cash tray
- Security lock with 2 keys
- Convenient key latch keeps box lid secure when unlocked; helps avoid accidental spilling of contents
- Carrying handle for portability
- Colour: Grey
- 11" W x 7.75" D x 3.9" H

Model No. OQ770



TIERED-TRAY DELUXE CASH BOXES

- Cash boxes provide a secure place to store money, receipts, cheques and other valuables
- Made of solid steel (0.8mm thickness)
- 5-compartment tiered coin tray for fast and easy handling of change
- Separate storage compartment underneath for easy access to coin rolls and supplies
- Convenient 4-bill compartment with spring loaded bill weights
- Security lock with 2 keys
- Carrying handle for portability
- Colour: Grey
- 11.8" W x 10" D x 4" H

Model No. OQ771



FIRE-RETARDANT SECURITY BOXES

- Fire retardant steel security box protects important documents and valuables from fire with heavy-duty steel construction and double-insulated walls
- Made of durable, cold-rolled steel with double-insulated walls
- Fire Retardant - up to 1382°F (750°C) for 15 minutes
- Security lock with 2 keys
- Carrying handle for portability
- Colour: Grey
- 12.75" W x 8.3" D x 4.6" H

Model No. OQ772



KEY STORAGE CABINETS

- Organize and control your office or warehouse with wall-mounted key cabinets
- Heavy-gauge steel construction with piano hinged doors and key panels provide a secure location for key storage
- Industrial 19-gauge body with 18-gauge door on all except OJ922, it has a 20-gauge body and 19-gauge door
- Durable beige powder coat epoxy finish
- All models come with numbered slots and key tags




OJ924

Model No.	Description	Dimensions			
		W"	x	D"	x H"
OJ922	30-Key Cabinet	8	x	2 1/2	x 12
OJ923	60-Key Cabinet	10 3/4	x	3	x 12 1/4
OJ924	120-Key Cabinet	13	x	3 1/4	x 17
OJ925	240-Key Cabinet	16 1/2	x	5	x 20
OJ927	500-Key Cabinet	18	x	5 1/2	x 25
OJ928	Key Tags - 20/Pack	-	-	-	-

DATA ORGANIZERS

- Horizontal literature rack
- All racks easily bolt together with fasteners provided
- Steel modular, horizontal racks that can be grouped for floor or table mounted storage
- Capacity for literature or directories up to three inches thick
- Tan enamel finish
- Includes: Mounting clips



OA168

OA157

Specifications	Model OA157	Model OA168
Height "	10 3/4	14 1/4
Width "	33 3/4	33 3/4
Depth "	11 5/8	11 5/8
Opening Width "	11	11
Opening Depth "	11 1/2	11 1/2
Opening Height "	3	3
No. of Openings	9	12
Paper Width "	8 1/2	8 1/2

COMBINATION BOARD

- Dual-purpose cork/white board provides versatility in getting your message across
- Porcelain whiteboard for a smooth and clear writing surface
- Double-sided cork for added durability
- Ideal for office or warehouse environments
- Plastic-molded corners protect the boards and wall from damage
- Sturdy aluminum frame
- Dimensions: 36" W x 24" H

Model No. OP542

KLETON



PORCELAIN WHITEBOARD

- White magnetic writing surface provides a clean, colourful display
- Porcelain surface is smooth and resistant to staining
- Effortless erasing, wipes clean with cloth or felt brush
- Galvanized steel backing for added durability
- Plastic corners for board and wall protection
- Mounting hardware included
- Style: Magnetic

KLETON



Model No.	Dimensions"
OP534	24 x 18
OP536	48 x 36

POLYETHYLENE FOLDING TABLES

- Blow molded polyethylene top
- Lightweight with folding legs for easy storage
- 29" fixed table height with locking steel legs
- Easy to clean
- Folding legs automatically lock by use of gravity activated mechanism when opened



KLETON

Model No.	Description	Dimensions				Capacity lbs.	Wt lbs.	
		L"	x	W"	x			H"
QQ714	Square	34	x	34	x	29	250	20
ON598	Rectangular	48	x	24	x	29	500	22
ON599	Rectangular	72	x	30	x	29	500	35
ON600	Rectangular	96	x	30	x	29	500	50
QQ320	Round	48	x	48	x	29	395	15
QQ321	Round	60	x	60	x	29	395	20
ON601	Rectangular Fold-in-Half	72	x	30	x	29	350	36
ON699	Bench Fold-in-Half	72	x	12	x	17	1000	20

CORKBOARDS

- Ideal for office or warehouse environments
- Sturdy aluminum frame
- Plastic-molded corners protect the boards and wall from damage
- Double-sided cork for added durability



KLETON

ON593

Model No.	Dimensions"	Wt. lbs.
ON593	18 x 24	3.5
ON594	24 x 36	6
ON595	36 x 48	10.5
ON596	48 x 72	18
ON597	48 x 96	30

CORKBOARD ACCESSORIES

PUSH PINS

Plastic head, assorted colours. 100 per pkg.


Price per package

Model No. OJ472



WHITE BOARDS

- White writing surface provides clean, colourful display
- Effortless erasing, wipes clean with cloth or felt brush
- Aluminum frame
- Plastic corners for board and wall protection



ON531

KLETON

NON-MAGNETIC

MAGNETIC

Model No.	Dimensions"	Wt. lbs.
ON530	18 x 24	3.25
ON531	24 x 36	6
ON532	36 x 48	10.5
ON533	48 x 72	18
ON534	48 x 96	30

DURA-INK® DRY ERASE INK MARKERS

- Ideal for white board marking in offices and factories
- Mark can be removed quickly and easily with dry rag, towel, or eraser

Markal
High Performance Industrial Markers



Model No.	Colour
PE773	Red
PE774	Black
PE775	Blue
PE776	Green

WATER COOLERS

OASIS WATER COOLERS

Oasis® water coolers are manufactured with a heavy gauge steel frame which provides durable and quiet operation. They feature a 5-year limited warranty on the sealed refrigeration system and most component parts. All waterways are constructed of lead-free materials and HFC 134A is used as a refrigerant. No CFCs are used. All units are standard tan sandstone finish. Drinking water temperature is 50°F/10°C. Certified for sale in Canada by an accredited certification body.



WALL-MOUNTED COOLERS

Units come in standard or compact models. All units are shipped with complete instructions and wall mounting bracket. Units should be installed with the nozzle 36" from the floor.

Model No.	Mfg. No.	Description	GPH Capacity	Dimensions					Wt. lbs.
				W"	x	D"	x	H"	
0J952	PLF4CM	Compact	4	17	x	13 3/16	x	16	51
0A061	P8M	Standard	8	17	x	29 7/8	x	14	73
0A536	P14M	Standard	14	17	x	29 7/8	x	14	76



OA061

COMPACT FREE-STANDING COOLERS

Attractive economical line suitable for applications in offices, shops or factories where space saving is critical.

Model No.	Mfg. No.	Description	GPH Capacity	Dimensions					Wt. lbs.
				W"	x	D"	x	H"	
0A063	P3CP	Compact	3	12	x	12	x	43 3/4	66
0A064	P5CP	Compact	5	12	x	12	x	43 3/4	69
0A548	P10CP	Compact	10	12	x	12	x	43 3/4	73



OA063

AGAINST-A-WALL OR FREE-STANDING COOLERS

All plumbing connections are completely sealed within the cabinet, permitting flush-to-wall installation.

Model No.	Mfg. No.	Description	GPH Capacity	Dimensions					Wt. lbs.
				W"	x	D"	x	H"	
0C709	P8FA	Standard	8	17	x	14	x	43 3/4	94
0A550	P14FA	Standard	14	17	x	14	x	43 3/4	96



OC709

BARRIER-FREE WHEELCHAIR COOLERS

- Designed specifically for easy access
- Wheelchairs fit under edge of water basin for comfort and convenience
- Instructions and wall mounting brackets included
- Drinking water temperature 50°F



Model No.	Mfg. No.	Bubbler Valve Type	GPH Capacity	Dimensions					Wt. lbs.
				W"	x	D"	x	H"	
0A059	P8AC	3 Electric Push Bars	7.8	17 1/2	x	18 1/2	x	22 11/32	54

OA059

DRINKING WATER FILTER FOR OASIS® COOLERS

- Removes dirt, cloudiness, particles, unpleasant odours and taste
- Reduces chlorine by 97%, lead between 95.9% and 99% and cryptosporidium and giardia cysts by 99.99%
- Works with all the Oasis® water coolers listed on this page
- Fast and easy-to-change refill cartridges with automatic shut-off valve inside the filter
- Designed to last 1500 gallons or approximately six months
- Includes: Brackets, complete filter and colour-coded waterline connections

Model No. OG445 Filter

Mfg. No. 033926-002

Model No. OG446 Refill cartridge

Mfg. No. 033879-001



INDUSTRIAL WATER COOLERS

- Heavy-duty blow-molded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw on lid
- Drip-resistant spigot
- Sturdy molded-in handles on the 10-gallon
- Universal cup dispenser is available for 3 gallons and up, holds 200 cups

NI653



Model No.	Mfg. No.	Description	Wt. lbs.
NI653	FG16830111	3 Gallons	5.4
ON611	1840999	5 Gallons	7.5
ON607	1841106	5 Gallons with Dispenser	7.5
NI656	FG16100111	10 Gallons	10.9
NI657	FG825706	Universal Cup Dispenser	0.82



VERSAFILLER™ WATER FOUNTAIN & BOTTLE FILLERS

Enjoy the best of both water options; refreshing fountain water and a bottle filler unit for refillable bottles. The VersaFiller™ accomplishes both tasks with ease and simplicity, and puts your location at the top of the refillable bottle trend while making a bold statement about your concern for the environment.

The VersaFiller™ is also designed for the future. The alcove and activation button contain Freshield™, which utilizes a silver-based antimicrobial compound. This is ideal for work-place settings, schools, university locations, and any public building.

The VersaFiller™ unit is available in two configurations. The **ON557** (PWSBF) model can be retrofitted to existing **OA059** (P8AC) coolers as well as Elkay's EZ8 models (some installation is required to connect this unit to existing P8AC models) providing an instant upgrade to those products already in the field.

The **ON557** (PWSBF) is also designed for simplicity of installation, requiring only water tubing connection to the host (P8), with no required electrical connections or separate drains.

The VersaFiller™ can be purchased as a complete top and bottom combination as well, **ON555** or **ON556**.

STANDARD FEATURES:

- Waterways are lead-free in materials and construction
- Heavy-duty galvanized steel frame bolts directly to the wall
- Freshield™ antimicrobial compound
- Gauges: Panels: 22, frame: 16
- ADA compliant for adult or child when properly installed
- Certified to NSF/ANSI Standard 61, Annex G (AB1953)
- 5-year limited warranty



**ADA
COMPLIANT**



**SUPERIOR
LEAD
FREE
PERFORMANCE**



ON556

Model No.	Mfg. No.	Description	Capacity GPH	Dimensions					Weight lbs.
				W"	x	D"	x	H"	
ON555	PG8SBF	VersaFiller™ Combo Complete w/ OA059 , Sandstone Finish	8	24	x	36	x	24	74
ON556	PG8SBF	VersaFiller™ Combo Complete w/ OA059 , Stainless Finish	8	24	x	36	x	24	74
ON557	N/A	VersaFiller™ Retrofit Kit for OA059 , Fountain Only (See page B218 for OA059)	N/A	6	x	18	x	12	10

FREE-STANDING WATER DISPENSER

- Ideal for office break-rooms, reception, and meeting rooms
- Use standard 3 and 5 gallon water bottles
- Dispenses both hot and cold water
- Convenient storage compartment for cups
- Safety lock for hot water
- Provides steaming hot water within 4 minutes
- Water bottle not included
- Colour: White
- Length: 13"
- Width: 10-1/5"
- Height: 39-4/5"
- Style: Floor
- Cold Water Dispensing Capacity: 3.2 L
- Hot Water Dispensing Capacity: 1 L
- Minimum Hot Water Temperature: 50°C
- Warranty: 12 months



Model No. OQ641
Mfg. No. RWD-800W

AQUARIUS POU COUNTERTOP WATER DISPENSER

- Hot, cold and room-temperature water from a single dispense point
- Polymer casing won't rust or scratch countertop
- POU countertop can connect to a filtration system
- Two options for dispensing - choose from 3 pre-select cup sizes or any size
- 17" height to enable fit under kitchen cabinets
- Extra high 11" dispense height makes it easy to fill large bottles
- Commercial cooling capacity; compressor-driven refrigeration system
- Removable drip tray
- Certified to NSF/ANSI 372 for low lead content
- Energy Star certified
- UL Listed
- 3 year limited warranty
- Capacity: 0-0.3 gal.
- Height: 17"
- Width: 13-1/4"
- Depth: 14-1/2"
- Weight: 30 lbs.



Model No. OQ845
Mfg. No. POU1ACTH5K

COUNTERTOP WATER DISPENSER

- Ideal for office break-rooms, reception, and meeting rooms
- Use standard 3 and 5 gallon water bottles
- Dispenses both hot and cold water
- Convenient storage compartment for cups
- Safety lock for hot water
- Provides steaming hot water within 4 minutes
- Water bottle not included
- Colour: White
- Length: 11-7/10"
- Width: 10-4/5"
- Height: 15-3/5"
- Style: Counter Top
- Cold Water Dispensing Capacity: 1 L
- Hot Water Dispensing Capacity: 0.8 L
- Minimum Hot Water Temperature: 50°C
- Warranty: 12 months



Model No. OQ640
Mfg. No. RWD-200W

Can't find what you're looking for?
Call us today!



CLOCKS

TIME CLOCKS

- Large, easy-to-read analog clock face
- LED display of year, month and date
- Automatic or manual printing
- Print window with light
- Automatically adjusts for Daylight Savings Time, short months, leap year and power outages
- Selectable for 4-digit imprint
- Built-in battery backup



SPECIFICATIONS:

Power Supply: 110/120 AC \pm 10% (50/60 Hz)
Power Consumption: Normal 3 W, Max. 12 W
Ambient Temperature: 14°F - 113°F (-10°C - 45°C)
Humidity: 10% - 90% (no condensation)
Dimensions: 6 3/4" W x 6 1/4" D x 8" H
 150 x 172 x 165 (mm)
Weight: 6 lbs. (2.7 kg)

Model No.	Description
HN140	English

TIME CLOCK ACCESSORIES

- Card rack is adjusted for standard 8 1/4" long cards
- Fits 25 standard time cards
- Rack is adjustable to accommodate cards of different widths

HA004



Model No.	Description
HA004	Card Rack
HA001	1000 Time Cards, English
HN141	Replacement Ribbon for HN140 & HN164 Time Clock

WALL CLOCKS

BATTERY OPERATED

- 12" diameter round office wall clock
- 12/24 hour
- Glass face
- Black plastic frame



Model No. HT072

HT072



WALL CLOCK

- Battery operated
- 12-3/4" diameter round office wall clock
- Wall mount
- Plastic face
- Black/chrome frame



Model No. OP237

OP237



BATTERY OPERATED

- 14" diameter quartz clock
- Silent quartz movement with second hand
- Use 1 AA battery
- Glass face
- Chrome frame



Model No. HT071

HT071



ATOMIC TIME CLOCKS

- Type of Punch Clock: Digital
- Prints in multiple languages including English and French
- Cartridge ribbon for easy change
- Ribbon Colour: Black
- Illuminated print window and guide improves efficiency on time card stamping
- Locking enclosure prevents tampering with settings and reduces time card fraud
- Ability to synchronize to the atomic clock
- Voltage: 100 - 240 V
- Ambient Temperature: -10°C to 45°C
- Humidity: 10% to 90% (no condensation)
- Unit Dimensions: 5.5" W x 6.9" D x 6.1" H



Model No. OP446

JUMBO ATOMIC WALL CLOCK

- Self-adjusting and self-setting atomic clock
- 7 Languages: English, Russian, Dutch, French, German, Italian, and Spanish
- Display: 12 or 24 hour time format, day, date, indoor temperature, and humidity
- Displays 5" tall clock digit
- Dimensions: 17" W x 1" D x 11" H
- Case Material: Plastic
- Mount Type: Surface/Wall
- Batteries Included: 4 x AA

MARATHON



Model No.	Colour
OP590	Black
OP591	Silver

ATOMIC WALL CLOCK

- Self-adjusting and self-setting atomic clock
- 8 Time Zones: PST, MST, CST, EST, AST, NST, HST, and AKST
- Display: 12 or 24 hour time format with indoor temperature display in Celsius or Fahrenheit
- Easy to read 4" H display
- Option to turn on or off Daylight Savings Time
- Dimensions: 9" W x 1.5" D x 5.7" H
- Case Material: Plastic
- Batteries Included: 2 x AA

MARATHON



Model No.	Colour
OP582	Silver
OP583	Brown

JUMBO DIGITAL WALL CLOCK

- Large 17" display
- Visibility from 30' away
- Displays (indoor) temperature in Celsius or Fahrenheit
- Calendar displays month, date and day of the week
- 12 or 24-hour settings
- This wall clock has an atomic self-adjusting feature that picks up time calibration signals automatically
- Clean, brushed-aluminum-look plastic frame
- Mount on your wall or use the built-in stand to place on a flat surface
- Includes three C batteries

MARATHON



Model No. XD075

ROUND DIGITAL WALL CLOCK

- Featuring a high contrast 6.5-Inch LCD display, this digital clock is perfect for office, classroom, lab or home use
- Integrated keyholes for easy wall-mounting or sits upright for desktop use with its fold-out stand
- Covered by a two-year limited warranty
- Includes: (3) AA batteries
- Dimensions: 6.5" Dia.
- Case Material: Stainless Steel

MARATHON



Model No.	Colour
OQ830	Silver
OQ831	Black