RUNNER MATS

- Fine ribbed rubber runner mats
- Durable rubber mat resists harsh weather conditions
- Easy to clean
- Adds traction to any entrance
- Thickness 1/8"
- Colour: Black
- Material: Rubber
- Traffic: Light-Medium
- Surface Pattern: Ribbed

SDL875

ZENITH® Safety Products

Model No.	Dim. W'	x	L'
SDL875	2	x	75
SDL876	3	x	75
SDL877	4	x	75
SDL878	2	x	lin.ft.
SDL879	3	x	lin.ft.
SDL880	4	x	lin.ft.

SCRAPER MATS

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions
- Numerous rubber fingers are ideal for trapping dirt
- Beveled edging to help prevent tripping
- Easy to clean
- Type: Scraper
- Thickness: 1/2"
- Colour: Black
- Material: Rubber
- Traffic: Heavy
- Surface Pattern: Textured

SFQ527

ZENITH® Safety Products

Model No.	Dim. W'	x	L'
SFQ527	2	x	2-2/3
SFQ528	2-2/3	x	3-1/4
SFQ529	2-1/3	x	3-5/6
SFQ530	3	x	5
SFQ531	3	x	6

WIDE-RIBBED RUNNER MAT

- Durable rubber mat resists harsh weather conditions
- Easy to clean
- Adds traction to any entrance
- Type: Wiper
- Thickness: 1/8"
- Colour: Black
- Material: Rubber
- Traffic: Light-Medium
- Surface Pattern: Ribbed



ZENITH® Safety Products

Model No.	Dim. W'	x	L'
SGG088	3	x	75
SGG089	3	x	lin. ft*

* Min. cut length: 1' - Max. cut length: 75'

SCRAPER MATS

- Scrapes shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions
- Low profile design, 5/16" thick
- Easy to clean
- Available with slots to facilitate drainage
- Colour: Black



SDL872

SDL871

ZENITH® Safety Products

Model No.	Description	Dim. W'	x	L'
SDL871	Solid	3	x	5
SDL872	Slotted	3	x	5

BOOT & SHOE CLEANER

- Option to anchor to the floor ensures a secure brush
- Constructed of stiff polypropylene bristles
- Designed to effectively scrape off dirt & debris from footwear
- Ideal for high traffic areas such as schoolyards, construction sites and industrial areas
- Colour: Yellow
- Overall Length: 15"

Model No. JK632

Produits D'Entretien RMP® Maintenance Products

BOOT TRAY

- Keeps dirt and moisture off floors
- Durable plastic construction with a raised edge to corral melting snow, mud or salt
- Thickness: 0.6"
- Length: 25"
- Width: 14"
- Colour: Black
- Material: Plastic

Model No. SGH285

ZENITH® Safety Products

ERGONOMIC MATTING

ENDURABLE NO. 459

Longer-wearing two-in-one construction

Longer wearing, two-in-one construction!

- This PVC sponge has a remarkably durable and abrasion resistant surface
- Created during the manufacturing process, its heat bonded to a comfortable sponge base
- As a dual density anti-fatigue mat, lasts much longer than similar products, but is very economical
- All edges are safety bevelled
- 1/2" thick
- Colour: Black

1-YEAR WARRANTY

NG593

WEARWELL

Model No.	Dim. W'	x	L'	Wt. lbs.
NG593	2	x	3	4.5
NG596	2	x	60	90
NG594	3	x	5	11.25
NG595	3	x	12	27
NG597	3	x	60	135
NG598	4	x	60	217

BOOT SCRAPER

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Rubber fingers brush the sides and bottom of boots
- Portable or can be made fixed (mounting hardware not included)
- Easy to clean
- Overall Length: 12"

Model No. SFQ526

ZENITH® Safety Products

ULTRA-TRED ARMORCOTE NO. 440

A urethane-coated, PVC sponge anti-fatigue mat

NB533

- Urethane coating gives this anti-fatigue mat extra durability
- PVC sponge with a urethane wear-layer for longer performance
- The double-thick urethane coating offers more abrasion and chemical resistance than comparable sponge products
- Ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick
- Colour: Black with yellow safety borders

1-YEAR WARRANTY

Urethane coating increases durability, resistance to chemicals & clean-up ease!



WEARWELL

Model No.	Dim. W'	x	L'	Wt. lbs.
NB533	2	x	3	5
NB537	3	x	5	11
NB534	3	x	12	27
SAJ811	2	x	60	83
NB538	3	x	60	135
NB540	4	x	60	160

TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

TOP QUALITY PVC SPONGE MATTING!

NB550

- For use in all dry work areas
- Blown-PVC sponge designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in two thicknesses:
  Tuf Sponge is 3/8" thick
  Deluxe Tuf Sponge is a softer formulation and a full 5/8" thick
- Both are available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

COLOURS:

Tuf Sponge: Black and grey
Deluxe Tuf Sponge: Black

Comfort & practicality all rolled into one mat!



1-YEAR WARRANTY

WEARWELL

TUF SPONGE NO. 451

Model No. Black	Model No. Grey	Dim. W'	x	L'	Wt. lbs.
NB550	NB551	2	x	3	5
NB565	NB566	3	x	5	12
NB568	NB569	3	x	60	126

DELUXE TUF SPONGE NO. 442

Model No.	Dim. W'	x	L'	Wt. lbs.
SAL174	2	x	3	6
SAL180	3	x	5	17

STANDARD CORRUGATED VINYL NO. 381

THE MOST POPULAR RUNNER MAT!

- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- Will not curl or shrink during use and is resistant to many chemicals and cleaning fluids
- 1/8" thick
- Colour: Black

1-YEAR WARRANTY

The all-purpose runner that makes floors safer to walk on!

NB374



WEARWELL

Model No.	Dim. W'	x	L'	Wt. lbs.
NB374	3	x	105	230
NB376	4	x	105	300

ERGODECK® ERGONOMIC FLOORING SYSTEMS NO. 560 & NO. 562

- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe® system securely connects tiles
- Covers up imperfections and safety hazards
- ErgoDeck™ tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck® can be attached to the floor
- 7/8" thick
- Designed specifically for heavy cart traffic withload capacity of 64 PSI
- Available in open grid and solid tile designs

WEARWELL

LIFETIME WARRANTY

ERGODECK® HEAVY-DUTY OPEN GRID NO. 560

- For use in wet (non-greasy) or dry areas where small debris or fluids are present

ERGODECK® HEAVY-DUTY SOLID NO. 562

- For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority

SAL217

SAL219 Ramp



Model No.	Description	Dim. W"	x	L"
SAL215	Open Grid No. 560, Single Tile	18	x	18
SAL224	Solid No. 562, Single Tile	18	x	18
RAMP & CORNER ACCESSORIES				
SAL219	Ramp - Yellow, Single	6	x	18
SAL217	Outside Corner - Yellow, Single	15	x	15

ANTI-FATIGUE LINK MATS

- Designed to help prevent injuries and increase worker comfort
- Modular interlocking designing on all four sides permits coverage of large floor spaces
- Recommended for wet and dry environments
- Lightweight and easy to clean
- Thickness: 1/2"
- Dimensions: 3'x3'
- Optional black and yellow border ramps to prevent ripping



With ramp SDL870

SDL865

ZENITH® Safety Products

MATS

Model No.	Description	Material
SDL865	General Purpose	Natural rubber
SDL866	Grease Proof	50% nitrile rubber/50% natural rubber

BORDER RAMPS

Model No.	Connection	Colour
SDL867	Male	Black
SDL868	Female	Black
SDL869	Male	Yellow
SDL870	Female	Yellow

ERGODECK® GENERAL PURPOSE NO. 564 & NO. 566

- Specifically designed to increase worker productivity
- Has a box-spring foundation that flexes to provide anti-fatigue benefits
- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe® system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- Tiles can be unlocked and repositioned to create different configurations
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck® can be attached to the floor
- 7/8" thick
- Colour: Charcoal

LIFETIME WARRANTY

SAQ312



WEARWELL

Model No.	Description	Dim. W"	x	L"	Qty /Case
SAQ312	Open Grid No. 564, Case	18	x	18	10
SAQ313	Solid No. 566, Case	18	x	18	10
RAMP & CORNER ACCESSORIES					
SAL219	Ramp - Yellow, Single	6	x	18	-
SAL217	Outside Corner - Yellow, Single	15	x	15	-

ERGODECK® ERGONOMIC FLOORING SINGLE TILE NO. 590

- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- The patented LockSafe® system securely connects the tiles for a neat, clean, installation that will withstand heavy use and cart traffic
- The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- ErgoDeck® tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck® can be attached to the floor
- Environment: Oily/Wet/Dry
- Surface Type: Diamond
- Colour: Charcoal
- Material: PVC
- Style: Solid
- Thickness: 7/8"
- Length: 1-1/2'
- Width: 1-1/2'

WEARWELL

Model No.	Description
JH629	Single Tile
JH630	10 Tiles

ERGONOMIC MATTING

DIAMOND-PLATE NO. 414 & 415

- These mats have a Nitricell® sponge base, a unique and resilient nitrile rubber composite that provides unparalleled comfort, resilience and long-term performance
- The PVC diamond-plate surface resists abrasion and most chemical spills
- Safety bevelled edges

UltraSoft Diamond-Plate No. 414: Ultimate Performance has a double-thick Nitricell® sponge base for a little extra comfort

Diamond-Plate SpongeCote No. 415: Best Performance is a standard 9/16" thick and has been a best seller for over 20 years!

Black/ Yellow Borders

Nitricell® sponge base

Double thick Nitricell® sponge base

1-YEAR WARRANTY

WEARWELL®

NO. 414

Model No.	Dim. W'	x	L'	Wt. lbs.
15/16" BLACK/YELLOW				
SAJ810	2	x	3	9
NG924	3	x	5	21
15/16" BLACK				
SAJ809	2	x	3	9
NG917	3	x	5	21

NO. 415

Model No.	Dim. W'	x	L'	Wt. lbs.
9/16" BLACK/YELLOW				
NB416	2	x	3	8
NB430	3	x	5	18
9/16" BLACK				
NB420	2	x	3	8
NB431	3	x	5	18

SMART DIAMOND-PLATE NO. 497

- An economical and green solution for preventing worker fatigue
- Diamond-plate surface with a 100% recycled urethane composite sponge base
- Green rating > 80% recycled
- Comfortable and functional in dry industrial applications
- Black and black with yellow borders

An economical and GREEN solution for preventing worker fatigue.



Rebound - 100% Recycled urethane sponge base



Rebound - 100% Recycled urethane sponge base

1-YEAR WARRANTY

WEARWELL®

Model No.	Dim. W'	x	L'
1" BLACK			
SBA878	2	x	3
SBA879	3	x	5
1" BLACK W/YELLOW			
SBA886	2	x	3
SBA887	3	x	5

Model No.	Dim. W'	x	L'
5/8" BLACK			
SBA894	2	x	3
SBA895	3	x	5
5/8" BLACK W/YELLOW			
SBA902	2	x	3
SBA903	3	x	5

* Cuts up to 75' in length available

DIAMOND-PLATE WITH GRITWORKS!® NO. 416

- Ideal for primarily dry areas with slight overspray or where grease and oil get tracked onto the mat
- Carbide grit that increases traction by over 50% while also increasing the chemical resistance and durability of the surface
- Super resilient, Nitricell® sponge base which is PVC loaded with nitrile rubber
- Exceptional comfort, rebound and long life
- All mats come with safety-beveled edges
- Colour: Black

3-YEAR WARRANTY

WEARWELL®

NO. 416

Model No.	Dim. W'	x	L'
STANDARD 9/16"			
SAL632	2	x	3
SAL634	3	x	5
SAL638	3	x	75

Model No.	Dim. W'	x	L'
ULTRASOFT 15/16"			
SAL633	2	x	3
SAL635	3	x	5
SAL639	3	x	75

Cuts up to 75' in length available

Carbide grit increases traction by over 50%



STANDARD

Grit surface



Nitricell® sponge base

ULTRASOFT

Grit surface

Double thick Nitricell® sponge base



DIAMOND-PLATE SELECT NO. 495

- Uniquely comfortable, resulting in productive, focused employees
- An excellent anti-fatigue mat designed to increase comfort and relieve stress; it's popular in dry industrial, lab and commercial applications
- The specially formulated, PVC Flex-Link™ sponge base is compounded for enhanced functionality
- Green rating > 50% post consumer material
- Colours: Black with yellow borders
- Available in two thicknesses:

Standard:
Overall thickness: 9/16"
Sponge thickness: 3/8"

Ultra thick:
Overall thickness: 15/16"
Sponge thickness: 3/4"
(designed for extra softness)

SAL349

WEARWELL

1-YEAR WARRANTY

Model No.	Dim. W'	x	L'	Wt lbs.
9/16"				
SAL349	2	x	3	8
SAL358	3	x	5	18
SAL361	3	x	75	244
15/16"				
SAL201	2	x	3	9
SAL207	3	x	5	21
SAL209	3	x	75	338

Available in cuts up to 75' in length

ANTI-FATIGUE DOME MATS

- Designed to help prevent injuries and increase worker comfort
- Raised dome design increases circulation in the users legs through subtle posture changes resulting in less stress
- Beveled edging to help prevent tripping
- Recommended for dry work environments
- All mats are 1/2" thick, natural rubber
- Colour: Black

SDL858

ZENITH® Safety Products

SINGLE MATS

Model No.	Dim. W'	x	L'	Border colour
SDL857	2	x	3	Black
SDL858	2	x	3	Yellow
SDL859	3	x	4	Black
SDL862	3	x	4	Yellow

MODULAR MATS

Model No.	Dim. W'	x	L'	Description	Border colour
SDL860	3	x	4	Center	Black
SDL861	3	x	4	End	Black
SDL863	3	x	4	Center	Yellow
SDL864	3	x	4	End	Yellow

SMART TILE-TOP NO. 496

- A SMART solution to standing worker fatigue, this mat is economically priced and "green"
- Priced like a sponge mat, yet wears five times longer
- The resilient sponge base - Rebound – is a 100% recycled urethane composite
- Comfortable and functional in dry industrial, lab or commercial applications
- Available in two thicknesses:
  Standard – 1/2" thick
  UltraSoft – 7/8" thick designed for even greater comfort
- Green rating > 80% recycled

A smart solution to standing worker fatigue, this mat is economically priced and GREEN.

WEARWELL

1-YEAR WARRANTY

Model No. Black	Grey	Blue	Charcoal	Dim. W'	x	L'
1/2" THICK						
SBA910	SBA926	SBA942	SBA958	2	x	3
SBA911	SBA927	SBA943	SBA959	3	x	5
7/8" THICK						
SBA918	SBA934	SBA950	SBA966	2	x	3
SBA919	SBA935	SBA951	SBA967	3	x	5

Cuts up to 60' in length available

ANTI-FATIGUE MAT

- Designed to help prevent injuries and increase worker comfort
- Recommended for wet and dry environments
- Lightweight and easy to clean
- Modular interlocking design on all four sides permits coverage of large floor spaces
- Optional black and yellow border ramps to prevent tripping
- Surface Type: Smooth
- Environment: Wet/Dry
- Material: Natural Rubber
- Style: Solid
- Colour: Black
- Thickness: 1/2"

ZENITH® Safety Products

Model No.	Description	Dim. W	x	L
SDS622	Anti-Fatigue	3'	x	3'

WELDSAFE® NO. 447

- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- Green rating > 33% post industrial material
- Colour: Black
- 1/2" thick

Anti-fatigue mat specifically designed for welding!



WEARWELL

Model No.	Dim. W'	x	L'	Wt. lbs.
NG181	2	x	3	9
NG182	3	x	5	23

Available in other lengths, call for a quote

WORKSAFE® LIGHT NO. 478 CFR

A NEW compound resistant to mineral oil based cutting fluids.



1-YEAR WARRANTY

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped

WEARWELL

Model No.	Description	Dim. W'	x	L'
NB632	-	3	x	5
NB630	-	3	x	10
NB631	-	3	x	20
SAL221	Connector	-		

DRAINAGE MATS

- Designed to help prevent injuries and increase worker comfort
- Resistant natural rubber is recommended for both wet or dry work
- Beveled edging to help prevent tripping
- Easy to clean
- Material: Natural Rubber
- Environment: Wet/Dry
- Surface Type: Slotted
- Style: Drainage
- Colour: Black
- Thickness: 7/8"
- Type: Anti-Fatigue



ZENITH® Safety Products

Model No.	Dim. W'	x	L'
SFQ525	3	x	5

Available in other lengths, call for a quote

WORKRITE II NO. 468

1/2" THICK GENERAL PURPOSE ANTI-FATIGUE DRAINAGE MATS

1-YEAR WARRANTY

- Made of grease-resistant natural rubber for use around water and non-caustic agents
- Hygienic open design accommodates small parts and debris
- Versatile, lightweight and economical
- Features molded-in beveled edges



WEARWELL

Model No.	Dim. W'	x	L'
SDM621	3	x	5
SDM618	3	x	10
SDM619	3	x	20

ELEVATE SPORT NO. 372 DRAINAGE MAT

- Ultimate sports and leisure matting for wet, barefoot traffic
- Lightly embossed surface that delivers both comfort and slip prevention underfoot
- Below the surface, channeled underbars provide fast, multi-directional drainage
- Constructed of UV resistant, anti-fungal and anti-microbial PVC
- Surface Type: Slotted
- Style: Drainage
- Environment: Wet
- Thickness: 3/8"
- Type: Anti-Fatigue





ZENITH® Safety Products

Model No.	Colour	Dim. W'	x	L'
JH565	Blue	2	x	3
JH568	Blue	3	x	5
JH597	Charcoal	2	x	3
JH600	Charcoal	3	x	5

ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP/786SM

- Ideal for use in areas at risk for damage from static electricity from workers before it can be passed on to sensitive equipment with microprocessors or to flammable liquids
- Surface prevents the accumulation of static electricity
- Nitricell® sponge base provides superior comfort and productivity
- This mat must be grounded; for maximum effectiveness, ground every 8' to 10'
- 9/16" thick
- Colour: Black

NB692

Protects workers from fatigue & electronic equipment from damage!

WEARWELL

4-YEAR WARRANTY

Model No.	Dim. W'	x	L'	Description	Wt. lbs.
SAL243	2	x	3	Smooth Surface	8.1
NB692	3	x	5	Diamond Plate Surface	23
SAR335	3	x	5	Smooth Surface	16.1
ACCESSORIES					
SAJ574				15' L Ground Wire (Sold Separately)	
SAL252				Heel Grounder No 793HG	

CLEAN ROOM MAT

- Adhesive surface removes dirt and dust from shoes and equipment wheels
- Ideal for reducing contamination in clean rooms and controlled environments
- Each layer can be used multiple times and removed once dirty
- Place on tile, concrete or low-profile carpeting
- Material: Polyethylene
- No. of Sheets: 30
- Sold per: Case of 4

SDS992

SDS993

ZENITH Safety Products

Model No.	Dimensions L"	x	W"	Thickness	Colour
SDS992	36	x	18	40 mics	Blue
SDS993	36	x	18	40 mics	White
SDS994	45	x	18	40 mics	Blue
SDS995	45	x	18	40 mics	White
SDS996	45	x	24	40 mics	Blue
SDS997	45	x	24	40 mics	White
SDS998	36	x	24	40 mics	Blue
SDS999	36	x	24	40 mics	White
SDT001	45	x	36	40 mics	Blue
SDT002	45	x	36	40 mics	White

FOOT SANITIZING MATS

- Foot sanitizing mats are designed to decontaminate shoes and boots from spreading germs and bacteria
- Ideal for food processing facilities
- Rubber scrappers at the base of the mat dislodge contaminants from shoes or boots while the soles are soaking in solution
- Chemically resistant to common disinfectant solutions
- Capacity: 5.5 gallons
- Dimensions: 32" W x 39" L
- Colour: Black

SDL873



SDL874

ZENITH Safety Products

Model No.	Border Colour
SDL873	Black
SDL874	Yellow

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Maximum rating: 30 000 V
- Recommended usage: Up to 17 000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- Colour: Black

SAL242



1-YEAR WARRANTY

WEARWELL

Model No.	Dim. W'	x	L'
SAL242	2	x	75
NB657	3	x	75

SAFETY CABINETS

FLAMMABLE STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors • Full-height piano hinges open a full 180° for easy access
- Recessed handle • 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet • Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

ZENITH® Safety Products

10 YEAR Limited Warranty

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"
SDN642	Manual	12	1	1	23 x 18 x 35
SDN643	Manual	16	1	1	23 x 18 x 44
SDN644	Manual	22	1	2	35 x 22 x 35
SDN645	Manual	24	2	2	43 x 12 x 44
SDN646	Manual	30	1	2	43 x 18 x 44
SDN647	Manual	45	2	2	43 x 18 x 65
SDN648	Manual	60	2	2	34 x 34 x 65

ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dimensions (W" x D")
SEE922	Extra Shelves	12 & 16 Gal.	19 1/2 x 14
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18
SEE924	Extra Shelves	24 Gal.	39 1/2 x 8
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14
SAS574	Extra Shelves	60 Gal.	30 3/8 x 30
SDN844	Poly Tray	All Size Cabinets	15 3/4 x 14

SDN647

PAINT/INK CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle • 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA

ZENITH® Safety Products

10 YEAR Limited Warranty

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"
SDN649	Manual	20	1	1	23 x 18 x 44
SDN650	Manual	45	3	2	43 x 18 x 44
SDN651	Manual	60	4	2	43 x 18 x 65
SDN652*	Manual	96	5	2	34 x 34 x 65

ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dimensions (W" x D")
SEE922	Extra Shelves	20 Gal.	19 1/2 x 14
SAQ328	Extra Shelves	45 & 60 Gal.	39 3/8 x 14
SAS574	Extra Shelves	96 Gal.	30 3/8 x 30
SDN844	Poly Tray	All Size Cabinets	15 3/4 x 14

*Codes state that not more than 60 gallons of Category I, II or III flammable liquids, nor more than 120 gallons of Category IV flammable liquids may be stored in a safety cabinet

SDN651

CORROSIVE LIQUIDS CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle • 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Includes two polyethylene trays
- Standard Met: FM/NFPA/OSHA

ZENITH® Safety Products

10 YEAR Limited Warranty

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"
SDN653	Manual	22	1	2	35 x 22 x 35
SDN654	Manual	30	2	2	43 x 18 x 44
SDN655	Manual	45	2	2	43 x 18 x 65

ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dimensions (W" x D")
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14
SDN844	Poly Tray	All Size Cabinets	15 3/4 x 14

SDN655

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure
- U-Loc™ handle comes with two keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leakproof sill
- Adjustable leveler legs and galvanised SpillSlope™ shelves
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable yellow powder coat paint finish
- Meet NFPA and OSHA requirements
- FM approved

10 Year Limited Warranty

Justrite

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D"x H"	Wt. lbs.
SAP509	893000	2 Doors, Manual	30	1	43 x 18 x 44	193
SAQ021	893020	2 Doors, Self-Closing	30	1	43 x 18 x 44	198
SAP510	894500	2 Doors, Manual	45	2	43 x 18 x 65	266
SAQ023	894520	2 Doors, Self-Closing	45	2	43 x 18 x 65	272
SAQ024	896000	2 Doors, Manual	60	2	34 x 34 x 65	328
SAQ025	896020	2 Doors, Self-Closing	60	2	34 x 34 x 65	330
SAQ026*	899000	2 Doors, Manual	90	2	43 x 34 x 65	390
SAQ027*	899020	2 Doors, Self-Closing	90	2	43 x 34 x 65	383

*Codes state that not more than 60 gallons of Category I, II or III flammable liquids, nor more than 120 gallons of Category IV flammable liquids may be stored in a safety cabinet

SURE-GRIP® EX PAINT & INK STORAGE CABINETS

Offers the same safety and quality features and options that are available in Justrite®'s safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved

10 Year Limited Warranty

Justrite

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim W" x D" x H"	Wt. lbs.
SAQ079	891511	1 Door, Manual, Compac	20	2	23 1/4 x 18 x 44	116
SAQ081	893011	2 Doors, Manual	40	3	43 x 18 x 44	240
SAQ084	894511	2 Doors, Manual	60	5	43 x 18 x 65	265
SAQ087*	896011	2 Doors, Manual	96	5	34 x 34 x 65	334
EXTRA SHELVES						
SAP839	29937	Extra Shelf for 40-Gallon Cabinets				
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets				

*Codes state that not more than 60 gallons of Category I, II or III flammable liquids, nor more than 120 gallons of Category IV flammable liquids may be stored in a safety cabinet

SURE-GRIP® EX SAFETY CABINETS

These cabinets offer U-Loc™ handles and come with a double key set or accept an optional padlock for greater security. They also have Haz-Alert™ reflective warning labels to offer visibility under dark conditions. Yellow powder-coat paint finish. Meet NFPA and OSHA regulations.

WALL MOUNT

- Avoids taking up extra floor space
- Mount easily with furnished brackets
- FM approved

COUNTERTOP & COMPAC

- Increased access to often-used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman
- Compac cabinets are FM approved

SLIMLINE

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- FM approved

STACKABLE "PIGGYBACK"

- Designed to mount on top of Justrite®'s standard 30 and 45-gallon safety cabinets
- Can be used singly or stacked to provide expanded or segregated storage of flammables
- Suitable for wall mounting or countertop use
- FM approved

Piggyback

Compac

Countertop

Slimline

Justrite

10 Year Limited Warranty

Model No.	Mfg. No.	Type	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ034	890400	Countertop	1 Door, Manual	4	1	17 x 17 x 22	54
SAQ036	891200	Compac	1 Door, Manual	12	1	23 1/4 x 18 x 35	103
SAQ038	891500	Compac	1 Door, Manual	15	1	23 1/4 x 18 x 44	154
SAQ040	893400	Wall Mount	2 Doors, Manual	20	5	43 x 12 x 44	189
SAQ030*	891300	Piggyback	2 Doors, Manual	12	-	43 x 18 x 18	99
SAQ031*	891700	Piggyback	2 Doors, Manual	17	1	43 x 18 x 24	124
SAQ032	892200	Slimline	1 Door, Manual	22	3	23 x 18 x 65	176

EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.
SAQ043	29936	For 12 and 15-Gallon Compac Cabinets	5

*Piggyback cabinets are not to be used with sliding door cabinets.

SAFETY CABINETS

VERTICAL DRUM STORAGE CABINET

- Safely stores up to two drums, easy glide rollers for convenient drum access
- Half-depth shelf allows additional storage
- Rollers at bottom of cabinet facilitate drum movement
- Includes two polyethylene trays
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Adjustable leveling feet
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Note: Codes state that not more than 60 gallons of Category I, II or III flammable liquids, nor more than 120 gallons of Category IV flammable liquids may be stored in a safety cabinet

ZENITH® Safety Products

Model No.	Dimensions W"	x	D"	x	H"	Capacity /US Gal.	Drum Capacity	Wt. lbs.
SGC540	59	x	34	x	65	110	2-55 gal.	480

PESTICIDE STORAGE CABINETS

ZENITH® Safety Products

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle • 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Standard Met: FM/NFPA/OSHA
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- Provides safe, secure and controlled storage for pesticides, insecticides, herbicides and other turf chemicals
- Includes two polyethylene trays

SGD361

10 YEAR Limited Warranty

Model No.	Door Type	Capacity Gallons	No. of Shelves	No. of Doors	Exterior Dimensions W" x D" x H"
SGD359	Manual	22	1	2	35 x 22 x 35
SGD360	Manual	30	1	2	43 x 18 x 44
SGD361	Manual	45	2	2	43 x 18 x 65

ACCESSORIES

Model No.	Type	For use with cabinet capacity	Dimensions (W" x D")
SEE923	Extra Shelves	22 Gal.	31 1/2 x 18
SAQ328	Extra Shelves	30 & 45 Gal.	39 3/8 x 14
SDN844	Poly Tray	All Size Cabinets	15 3/4 x 14

GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- For compressed gas cabinets, includes 14-gauge checker-plate roof panel
- For liquid propane cabinets, includes 14-gauge checker-plate shelf and roof panel
- English and French warning labels included
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- Easy assemble, knock-down feature saves on shipping costs

Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

KLETON

COMPRESSED GAS (9" DIAMETER CYLINDERS)

Model No.	Dimensions W"	x	D"	x	H"	Cylinder Capacity	Wt. lbs.
SAF837	44	x	30	x	74	10	210
SAF848*	88	x	30	x	74	20	420

*Consists of two units of the **SAF837**

LIQUID PROPANE (35-LB CYLINDERS)

Model No.	Dimensions W"	x	D"	x	H"	Cylinder Capacity	Wt. lbs.
SEB837*	30	x	17	x	37	2	70
SEB838*	17	x	17	x	69	2	85
SAF836	44	x	30	x	37	6	135
SAF847	44	x	30	x	74	12	270

*All welded, fully assembled

SAF837

SEB837

SEB838

SAF847

SURE-GRIP® EX ACID/CORROSIVE STORAGE CABINETS

Built to the same standards as Justrite®'s flammable storage cabinets with the addition of poly tray liners and a specially formulated epoxy, powder coat paint.

- Poly liners on shelves and poly sump liner are removable for easy cleaning
- 30-gallon cabinet is also equipped with a poly cabinet top work tray
- All cabinets come with the stylish flush-mounted U-Loc™ handle that offers easy fingertip access and accepts optional padlock
- Haz-Alert™ reflective warning labels
- Undercounter model has a 3 1/2" H x 2 1/2" D kick plate to mount flush with other cabinetry
- Meets NFPA and OSHA regulations
- FM approved

Note: Not to be used with phenol, nitric and sulfuric acids.

Justrite

10 Year Limited Warranty

SAQ055

SAQ056

SAQ057

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" H"	Wt. lbs.
SAQ055	892302	2 Doors, Manual, Undercounter	22	1	35 x 22 x 35	154
SAQ056	892202	1 Door, Manual, Slimline	22	3	23 1/4 x 18 x 65	180
SAQ057	893002	2 Doors, Manual	30	1	43 x 18 x 44	197
SAQ060	894502	2 Doors, Manual	45	2	43 x 18 x 65	268
SAQ062	894522	2 doors, Self-Closing	45	2	43 x 18 x 65	273
ACCESSORIES						
SAQ044	29939	Extra Shelf for 22-Gallon Undercounter Cabinets				7
SAQ063	29965	Poly Tray for 22-Gallon Undercounter Cabinets				3
SAP839	29937	Extra Shelf for 30 and 45-Gallon Cabinets				8
SAQ064	29962	Poly Tray for 30 and 45-Gallon Cabinets				2

TYPE I SAFETY CANS

- Fully compliant Type I safety cans with stainless steel flame arresters
- Chemical resistant, provides faster liquid flow, and offers exceptional durability and corrosion protection
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Warning label includes large ID zone for user labelling
- Optional poly funnel offers targeted pouring
- FM approved, UL/ULC listed
- 10-year limited warranty

Justrite 10 Year Limited Warranty

SEA212

SEA213

Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity	Ext. Dim. Dia."	x	H"
WITH FUNNEL							
SEA240	7110110	**SEA241**	7110210	1 US Gal.	9 1/2	x	11
SEA204	7120110	**SEA244**	7120210	2 US Gal.	9 1/2	x	13 3/4
SEA208	7125110	**SEA247**	7125210	2.5 US Gal.	11 3/4	x	11 1/2
SEA213	7150110	**SEA250**	7150210	5 US Gal.	11 3/4	x	16 7/8
WITHOUT FUNNEL							
SAI516	10001	-	-	1 Pint	4 5/8	x	6 3/4
SAI517	10101	-	-	1 Quart	4 5/8	x	8 1/4
SEA199	7110100	**SEA200**	7110200	1 US Gal.	9 1/2	x	11
SEA203	7120100	**SEA205**	7120200	2 US Gal.	9 1/2	x	13 3/4
SEA207	7125100	**SEA209**	7125200	2.5 US Gal.	11 3/4	x	11 1/2
SEA212	7150100	**SEA214**	7150200	5 US Gal.	11 3/4	x	16 7/8

Other colours available, call us today!

LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved 5 US gallon cans

SEC080

Justrite

Model No.	Mfg. No.	Description	Faucet
SEC080	7150140	Steel Shelf Can	Control Flow Lab, 3/4" Brass
SEC081	7150150	Steel Shelf Can	3/4" NPT Rigid Brass
SEC082	7150146	Steel Tilt Can w/Stand	Control Flow Lab, 3/4" Brass
SEC083	7150156	Steel Tilt Can w/Stand	3/4" NPT Rigid Brass
SEC084	14545	Polyethylene Shelf Can	Control Flow Lab, 3/4" Brass
SEC085	14535	Polyethylene Tilt Can W/Stand	Control Flow Lab, 3/4" Brass

TYPE II ACCUFLOW™ SAFETY CANS

- AccuFlow™ exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty

Justrite 10 Year Limited Warranty

SEA233

Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity US Gal.	Ext. Dim. Dia."	x	H"
5/8" HOSE WIDTH							
SEA217	7210120	**SEA218**	7210220	1	9 1/2	x	10 1/2
SEA221	7220120	**SEA222**	7220220	2	9 1/2	x	13 1/4
SEA224	7225120	**SEA226**	7225220	2.5	11 3/4	x	12
SEA232	7250120	**SEA234**	7250220	5	11 3/4	x	17 1/2
1" HOSE WIDTH							
SEA225	7225130	**SEA227**	7225230	2.5	11 3/4	x	12
SEA233	7250130	**SEA235**	7250230	5	11 3/4	x	17 1/2

Other colour/capacity/hose width combinations available, call us today!

OILY WASTE CANS

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanised steel body in a variety of sizes accommodates any work area
- Carrying handle for portability
- 6 - 21 US gallon foot-operated units are FM approved and UL listed
- 2 US gallon hand-operated, countertop model is FM approved

SR357

Justrite 10 Year Limited Warranty

Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Cap US Gal.	Ext. Dimensions Dia."	x	H"	Wt. lbs.
SR361	09200Y	**SR356**	09200	2	9 5/8	x	9 1/8	6
SR362	09101	**SR357**	09100	6	11 7/8	x	15 7/8	10
SR363	09301	**SR358**	09300	10	13 15/16	x	18 1/4	13
SR364	09501	**SR359**	09500	14	16 1/16	x	20 1/4	16
SR365	09701	**SR360**	09700	21	18 3/8	x	23 7/16	22

STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed

Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12 - 14	150	15 1/2	3 1/8	Vehicle	4 1/4
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3

*Meets requirements for forklifts

BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are static resistant and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Rolls are perforated along the middle & cross direction every 18"
- Sold per package

SEJ934

SEH972

OIL ONLY

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEJ934	Heavy	15" x 18"	30	100
SEH968	Heavy	15" x 17"	8	25
SEH969	Medium	15" x 17"	25	100
SEI999	Light	15" x 17"	15	100
SEH970	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH972	Heavy	150' x 30"	50	1
SEH971	Heavy	150' x 15"	25	1
SEJ001	Medium	150' x 30"	40	1
SEJ002	Medium	150' x 15"	20	1
SEH973	Light	300' x 30"	55	1



SEH959

SEH964

UNIVERSAL

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – UNIVERSAL				
SEJ935	Heavy	15" x 17"	30	100
SEH959	Heavy	15" x 17"	8	25
SEJ940	Medium	15" x 18"	25	100
SEH961	Light	15" x 17"	15	100
SEH962	Light	15" x 17"	30	200
ROLLS – UNIVERSAL				
SEH966	Heavy	150' x 30"	50	1
SEH965	Heavy	150' x 15"	25	1
SEH964	Medium	150' x 30"	40	1
SEH963	Medium	150' x 15"	20	1



SEI007



SEI008

HAZMAT

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – HAZMAT				
SEI007	Heavy	15" x 18"	30	100
SEJ004	Medium	15" x 17"	25	100
SEJ005	Light	15" x 17"	15	100
SEJ006	Light	15" x 18"	30	200
ROLLS – HAZMAT				
SEI009	Heavy	150' x 30"	50	1
SEI008	Heavy	150' x 15"	25	1
SEJ008	Medium	150' x 30"	40	1
SEJ009	Medium	150' x 15"	20	1

SORBENT PILLOWS

- Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Sold per package

SEH956

SEI005

Model No.	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PILLOWS - OIL ONLY			
SEH956	18" x 8"	25	10
SEH957	18" x 18"	40	10
PILLOWS - UNIVERSAL			
SEJ028	18" x 8"	30	10
SEJ029	18" x 18"	45	10
PILLOWS - HAZMAT			
SEI006	18" x 8"	30	10
SEI005	18" x 18"	45	10

SORBENT SOCKS

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Oil only and hazmat socks are made from 100% polypropylene, and absorb more than 25x their weight
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Sold per package

SEI048

Model No.	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
SOCKS - OIL ONLY			
SEH955	120" x 3"	45	10
SOCKS – UNIVERSAL			
SEI048	120" x 3"	40	10
SOCKS – HAZMAT			
SEI004	120" x 3"	45	10

RAG RUGS

- Made of 100% recycled cotton and polyester, with a binder on one side
- Excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Absorbs more than 12x its weight in oil, water, or chemicals
- Sold per package

SEI055

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
ROLLS - UNIVERSAL				
SEI055	Heavy	150' x 36"	61	1

FINE FIBRE SORBENT PADS & ROLLS

- Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are static resistant and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Sold per package



SEH975

SEH976



SEJ936



SEH982



SEH986

SEH988

ZENITH® Safety Products

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEH974	Heavy	15" x 17"	30	100
SEH975	Medium	15" x 17"	25	100
SEI977	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH976	Heavy	150' x 30"	50	1
SEH977	Heavy	150' x 15"	25	1
SEH978	Medium	150' x 30"	40	1
SEH979	Medium	150' x 15"	20	1
PADS – UNIVERSAL				
SEJ936	Heavy	15" x 17"	30	100
SEH981	Medium	15" x 17"	25	100
SEI978	Light	15" x 17"	30	200
ROLLS – UNIVERSAL				
SEH982	Heavy	150' x 30"	50	1
SEH983	Heavy	150' x 15"	25	1
SEH984	Medium	150' x 30"	40	1
SEH985	Medium	150' x 15"	20	1
PADS – HAZMAT				
SEH986	Heavy	15" x 17"	30	100
SEI979	Medium	15" x 17"	25	100
SEH987	Light	15" x 17"	30	200
ROLLS – HAZMAT				
SEH988	Heavy	150' x 30"	50	1
SEI980	Heavy	150' x 15"	25	1
SEI981	Medium	150' x 30"	40	1
SEI982	Medium	150' x 15"	20	1

DRIP DAM™ ROOF LEAK DIVERTERS

- Fast & efficient response to overhead leaks
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: HDPE
- Attach with four bungee cords or rubber tie downs (not included)

Model No.	Dimensions'
SEI133	3 x 3
SEI134	3 x 6
SEI136	6 x 10
SEI657	5 x 5
SEI658	6 x 6
SEI659	10 x 12
SEI660	12 x 12

ENPAC

RUBBER TIE DOWNS

- Other sizes available

Model No.	Size"	Max. Safe Stretch"
PE368	15	22 1/2

KLETON

COLLAPSIBLE SHOVELS

- Aluminum
- Compact storage
- Easy-to-connect lock buttons permit rapid assembly
- Ideal for picking up sorbent material and to include in spill kits
- Durable aluminum handle
- Non-sparking, designed for emergency responses
- Assembled length: 29" L
- Collapsed size: 15"L x 10"W x 3"H
- Weight: 1.5 lbs.

Model No. SEI088
Mfg. No. 0401

ULTRATECH INTERNATIONAL, INC.

NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

Model No.	Dimensions L"	x	W"	x	Thick"
SH104	36	x	36	x	1/16
SAP060	48	x	48	x	1/16

OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly
- 50% more absorbency per pound than clay alternatives
- 25-lb. bag

Model No. SEI076

SPILL KITS ALLOW FOR IMMEDIATE CLEAN-UP OF SPILLS

Choice of oil, universal or hazmat kits. Oil kits can handle oil and fuel spills on land or on water. Universal kits handle more general purpose spills such as acids, caustics (bases), common fluids such as coolants, ethanol, pesticides and solvents. Hazmat kits handle chemical and more toxic fluids.

ZENITH® Safety Products

95-GALLON SPILL KITS

50 Sorbent Pads, 15" x 17"
5 Sorbent Socks, 3" x 48"
5 Sorbent Pillows, 8" x 18"
4 Sorbent Booms, 5" x 10'
1 Sorbent Roll, 15" x 150'
1 Drain Cover, 36" x 36"
1 Caution Tape, 3" x 300'
2 Pairs Nitrile Gloves, XL (10)
2 Pairs Safety Goggles, One Size
2 Microporous Coveralls, XL
10 Disposal Bags, 26" x 36"

Mobile Version

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ262	SEI167	SEJ263
Mobile Spill Kit	SEJ264	SEI494	SEJ265
Replacement Kit*	SEJ824	SEI873	SEJ826

*Replacement kit does not include original package container

55-GALLON SPILL KITS

50 Sorbent Pads, 15" x 17"
5 Sorbent Socks, 3" x 48"
3 Sorbent Socks, 3" x 120"
1 Drain Cover, 36" x 36"
1 Pair Nitrile Gloves, XL (10)
2 Microporous Coveralls, XL
1 Pair Safety Goggles, One Size
3 Disposal Bags, 26" x 36"

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI196	SEI195	SEJ271
Replacement Kit*	SEI576	SEJ833	SEJ834

*Replacement kit does not include original package container

5-GALLON SPILL KITS

5 Sorbent Socks, 3" x 48"
1 Pair Nitrile Gloves, XL (10)
1 Pair Safety Goggles, One Size
2 Disposal Bags, 26" x 36"

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ975	SEI160	SEJ286
Replacement Kit*	SEJ976	SEJ858	SEJ859

*Replacement kit does not include original package container

63-GALLON SPILL KITS

100 Sorbent Pads, 15" x 17"
4 Sorbent Socks, 3" x 120"
4 Sorbent Pillows, 18" x 18"
1 Drain Cover, 36" x 36"
1 Optisorb®, 25-lb. Bag
2 Pairs Nitrile Gloves, XL (10)
2 Pair Safety Goggles, One Size
3 Disposal Bags, 26" x 36"

Mobile Version

Description	Oil Only Model No.	Universal Model No.
Mobile Spill Kit	SEI198	SEI197
Replacement Kit*	SEI943	SEI944

*Replacement kit does not include original package container

30-GALLON SPILL KITS

75 Sorbent Pads, 15" x 17"
4 Sorbent Socks, 3" x 120"
1 Drain Cover, 36" x 36"
1 Caution Tape, 3" x 300'
2 Pairs Nitrile Gloves, XL (10)
2 Pairs Safety Goggles, One Size
2 Microporous Coveralls, XL
5 Disposal Bags, 26" x 36"

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ275	SEI165	SEJ276
Replacement Kit*	SEJ839	SEI614	SEJ840

*Replacement kit does not include original package container

20-GALLON SPILL KITS

50 Sorbent Pads, 15" x 17"
4 Sorbent Socks, 3" x 48"
2 Sorbent Pillows, 8" x 18"
1 Pair Nitrile Gloves, XL (10)
1 Pair Safety Goggles, One Size
1 Disposal Bag, 26 "x 36"

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ291	SEI164	SEJ277
Replacement Kit*	SEJ841	SEJ842	SEJ843

*Replacement kit does not include original package container

10-GALLON VEHICLE SPILL KITS

20 Sorbent Pads, 15 "x 17"
2 Sorbent Socks, 3" x 48"
2 Sorbent Pillows, 8" x 18"
1 Repair Putty, 4 oz.
1 Pair Nitrile Gloves, XL (10)
1 Pair Safety Goggles, One Size
2 Disposal Bags, 26" x 36"

Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI184	SEI183	SEJ284
Replacement Kit*	SEI888	SEI889	SEJ851

*Replacement kit does not include original package container

POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums

POLY-OVERPACK® 20 SALVAGE DRUM

- Accepts bottles, cans, and 5-gallon pails
- 20 US gallon sump capacity
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 19" H
  Interior dimensions: 21 1/2" top dia. x 17" bottom dia. x 17 1/2" H

POLY-OVERPACK® 30 SLAVAGE DRUM

- Unit can contain up to 16 US gallon drums
- 30 US gallon sump capacity
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 30" H
  Interior dimensions: 21 1/2" top dia. x 17" bottom dia. x 28 1/2" H

Model No.	Mfg. No.	Description	Wt. lbs.
SAG189	1220-YE	Poly-Overpack® 20	10
SAH551	1230-YE	Poly-Overpack® 30	13

POLY-OVERPACK® 65 SALVAGE DRUM

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- Maximum handling capacity: 440 lbs.
- **Exterior dimensions:**
  27 3/4" top dia. x 23" bottom dia. x 37 1/2" H
  Interior dimensions:
  26 3/4" top dia. x 22" bottom dia. x 34 1/4" H

Model No.	Mfg. No.	Description	Wt. lbs.
SE471	1065-YE	Poly-Overpack® 65	47

POLY-OVERPACK® SALVAGE DRUM

- Takes industry standards to a whole new level
- Engineered with safety in mind
- Stacks, locks and transports more securely and efficiently than any other drum in the market
- Specifically designed to lock once stacked as a preventative measure for both employees and products
- Nesting lids create a safer and stronger nested stack for storage
- With a double start thread, unit only requires half a turn to tightly secure leaking drums
- Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES
- **Exterior Dimensions:**
  31.5" top dia. X 25.88" bottom dia. X 40"H
- **Interior Dimensions:**
  27.5" top dia. X 24.5" bottom dia. X 36.5"H
- Sump Capacity: 95 US gallons
- Load Bearing Capacity: 650 lbs.
- Weight: 46.5 lbs.

Model No. SDM248
Mfg. No. 1095-YE

WHEELED OVERPACK® SALVAGE DRUMS

- First mobile 1-piece Overpack® that can handle 55 US gallon drums
- Salvage drum and dolly all in one, eliminates the need for a separate dolly
- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- Easy steering through doorways and around obstacles

SAL223

WHEELED OVERPACK® 50

- 50 US gallon sump capacity
- **Exterior dimensions:**
  24" top Dia. x 18 1/2" bottom Dia. x 45 1/2" H
  Interior dimensions:
  20" top Dia. x 17 3/4" bottom Dia. x 36" H

WHEELED OVERPACK® 95

- 95 US gallon sump capacity
- **Exterior dimensions:** 31 1/2" top Dia. x 25 3/4" bottom Dia. x 47 1/2" H
  Interior dimensions: 27" top Dia. x 25" bottom Dia. x 38 1/2" H

Model No.	Mfg. No.	Description	Sump Cap. US Gallons	Wt. lbs.
WHEELED OVERPACK® 50 SALVAGE DRUM				
SAL223	1259-YE	Polyolefin Wheels	50	38
WHEELED OVERPACK® 95 SALVAGE DRUM				
SAH549	1299-YE	Polyolefin Wheels	95	56

SPILL SCOOTER™

- 100% polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- Dimensions: 35" Dia. x 9" H
- 500-lbs. load bearing capacity
- 11 US gallon capacity

Drum not included

Model No.	Mfg. No.	Description	Wt. lbs.
SB767	5205-YE	Spill Scooter™	22
SC554	5206-BK	T-Handle	3

LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles 30 imp. Gal./37 US gal.& 45 imp. Gal./55 US gal. drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- Capacity: 1000 lbs.
- Grey

DC465

Model No.	Caster Type	Caster"	O.A. Height"
DC465	Polyurethane	3	6 1/4
DC466	Polyolefin	3	6 1/2
DC467	Polyolefin	4	7 1/4

NESTABLE 2-DRUM POLY-SPILLPALLET™

- 100% polyethylene provides excellent chemical resistance
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 51" L x 26" W x 21" H

SEI786

ENPAC

Model No.	Mfg. No.	Description	Wt. lbs.
SEI786	5222-YE	2-Drum Poly-Spillpallet™	54
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	54

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Poly-Ramp™ allows for easy loading of pallet

Drums Not Included

ENPAC

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Wt. lbs.
SB762	5102-YE	Poly-SpillPallet™	98	x	25 1/4	x	12	78
SB763	5102-YE-D	Poly-SpillPallet™ w/Drain	98	x	25 1/4	x	12	78
SAQ186	5039-BK	Poly-Ramp™	68	x	30 3/4	x	12 1/2	65

POLY-SLIM-LINE™ 6000

- 100% polyethylene with removable grates
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on the Poly-Slim Line™ 6000
- Load bearing capacity of 2400 lbs.
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable

ENPAC

SR442

SE410

Pallet not included

Model No.	Mfg. No.	Description	Dimensions L"	x	W"	x	H"	Wt. lbs.
SE408	5400-YE	Poly-Slim-Line™	54	x	54	x	12	84
SE409	5400-YE-D	Poly-Slim-Line™ w/Drain	54	x	54	x	12	84
SE410	6004-YE	Multi-Purpose Racker/Stacker™	48 1/2	x	41	x	20	60
SB773	6003-YE	Poly-Shelf™	17	x	22	x	17 1/2	8
SAQ186	5039-BK	Poly-Ramp™	68	x	30 3/4	x	12 1/2	65
SR442*	6005-BK	Universal® Well Liner	14 1/2	x	17 1/2	x	2 1/2	1.5

*Can also be used with Poly-Dolly®

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Transports 55 US gallon drums with ease
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly
- Dimensions: 69" L x 32 1/2" W x 26 1/2" H
- 70 US gallon sump capacity
- 600-lbs. load bearing capacity

Drum Not Included

SB769

Model No.	Mfg. No.	Description	Wt. lbs.
SB769	5300-YE	Poly-Dolly®	83
SB770*	5300-YE-A	Poly-Dolly® ATD	91

*All terrain dolly with heavy-duty semi-pneumatic rubber wheels

ENPAC

THE POLY-RACK™ SYSTEM

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums
- 100 plus gallon containment sump
- Deep dispensing well easily holds 5-gallon pails
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.

POLY-STACKER™

- Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup

POLY-SHELF™

- It easily attaches to Poly-Stacker™
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™

ENPAC

Drums Not Included



Model No.	Mfg. No.	Description	Max Capacity lbs.	Dimensions L"	x	W"	x	H"	Wt. lbs.
SB771	6000-YE	Poly-Racker™	3000	49	x	53	x	23	105
SB772	6002-YE	Poly-Stacker™	2400	49	x	41	x	13	50
SR466	6006-YE	Single Poly-Racker™	1600	31	x	53	x	32	95
SR467	6007-YE	Single Poly-Stacker™	800	31	x	40 1/2	x	20	45
SB773*	6003-YE	Poly-Shelf™	60	17	x	22	x	17 1/2	8

*Use only with Poly-Stacker™ or single Poly-Stacker™

EAGLE MODULAR SPILL PLATFORM

- Seamless construction eliminates leaks
- High density polyethylene (HDPE) construction with lead-free UV protectant provides excellent chemical resistance and impact durability for long life
- Black models made with 100% recycled HDPE
- Removable HDPE flat top grates for simplified cleaning
- Use optional Sump-to-Sump™ drain kit to join platforms together and gain full compliance with regulations for sump capacity

SGJ278

SGJ279

Drums not included

Black Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Description	Spill Cap.	Load Cap.	Dimensions L"	x	W"	x	H"	Compatible W/Ramp	Forklift Pockets
SGJ274	1633B	**SGJ275**	1633	1 Drum Platform	15 US gal.	2000 lbs.	26	x	26-1/4	x	6-1/2	No	No
SGJ276	1633BD	**SGJ277**	1633D	1 Drum Platform w/Drain	15 US gal.	2000 lbs.	26	x	26-1/4	x	6-1/2	No	No
SGJ278	1632B	**SGJ279**	1632	2 Drum Platform	30 US gal.	5000 lbs.	51-1/2	x	26-1/4	x	6-1/2	Yes	Yes
SGJ280	1632BD	**SGJ281**	1632D	2 Drum Platform w/Drain	30 US gal.	5000 lbs.	51-1/2	x	26-1/4	x	6-1/2	Yes	Yes
-	-	**SGJ282**	16323	3 Drum In-Line Platform	45 US gal.	5000 lbs.	77-1/2	x	26-1/4	x	6-1/2	Yes	Yes
SGJ283	1635B	**SGJ284**	1635	4 Drum Square Platform	60.5 US gal.	10000 lbs.	51-1/2	x	51-1/2	x	6-1/2	Yes	Yes
SGJ285	1635BD	**SGJ286**	1635D	4 Drum Square Platform w/Drain	60.5 US gal.	10000 lbs.	51-1/2	x	51-1/2	x	6-1/2	Yes	Yes
SGJ287	1647B	**SGJ288**	1647	4 Drum In-Line Platform	60.5 US gal.	10000 lbs.	26-1/4	x	103-1/2	x	6-1/2	Yes	No
SGJ289	1647BD	**SGJ290**	1647D	4 Drum In-Line Platform w/Drain	60.5 US gal.	10000 lbs.	26-1/4	x	103-1/2	x	6-1/2	Yes	No
SGJ291	1686B	**SGJ292**	1686	6 Drum Platform	88 US gal.	10000 lbs.	51-1/2	x	78-1/4	x	6-1/2	Yes	No
SGJ293	1686BD	**SGJ294**	1686D	6 Drum Platform w/Drain	88 US gal.	10000 lbs.	51-1/2	x	78-1/4	x	6-1/2	Yes	No
SGJ295	1688B	**SGJ296**	1688	8 Drum Platform	121 US gal.	10000 lbs.	51-1/2	x	103	x	6-1/2	Yes	No
SGJ297	1688BD	**SGJ298**	1688D	8 Drum Platform w/Drain	121 US gal.	10000 lbs.	51-1/2	x	103	x	6-1/2	Yes	No
SGJ314	1689B	**SGJ315**	1689	Ramp	-	1500 lbs.	32	x	45-1/2	x	8	-	-
ACCESSORIES													
SGJ299	1642S			1 drum grate for 1 drum and 3 drum in-line unit			25-1/4	x	25-1/4	x	1-1/2		
SGJ300	1642IB			2 drum grate for all sizes except 1 drum and 3 drum in-line unit			25-1/4	x	50-1/2	x	1-1/2		
SAH583	28927			Sump-to-Sump™ Drain Kit					-				

EAGLE SPILL CONTAINMENT PALLET

- Seamless construction eliminates leaks making them ideal for drum filling and dispensing operations - models available with and without drain
- High density polyethylene (HDPE) construction with lead-free UV protectant provides excellent chemical resistance and impact durability for long life
- Black models made with 100% recycled HDPE
- Removable HDPE flat top grates for simplified cleaning
- Forklift pockets make relocation easy
- EPA compliant and supports SPCC, unless noted

SGJ305

Drums not included

SGJ310

Black Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Description	Spill Cap.	Load Cap.	Dimensions L"	x	W"	x	H"	Compatible W/Ramp
SGJ301	1620BND	**SGJ302**	1620ND	2 Drum Pallet	66 US gal.	4000 lbs.	26-1/4	x	51	x	13-3/4	No
SGJ303	1620B	**SGJ304**	1620	2 Drum Pallet w/Drain	66 US gal.	4000 lbs.	26-1/4	x	51	x	13-3/4	No
SGJ305	1645BND	**SGJ306**	1645ND	4 Drum Square Pallet	66 US gal.	8000 lbs.	51-1/2	x	51-1/2	x	8	Yes
SGJ307	1645B	**SGJ308**	1645	4 Drum Square Pallet w/Drain	66 US gal.	8000 lbs.	51-1/2	x	51-1/2	x	8	Yes
SGJ309	1640BND	**SGJ310**	1640ND	4 Drum Square Pallet, High Capacity	132 US gal.	8000 lbs.	51	x	52-1/2	x	13-3/4	Yes
SGJ311	1640B	**SGJ312**	1640	4 Drum Square Pallet w/Drain, High Capacity	132 US gal.	8000 lbs.	51	x	52-1/2	x	13-3/4	Yes
-	-	**SGJ313**	1646	4 Drum Nestable Pallet	66 US gal.	6000 lbs.	58-1/2	x	58-1/2	x	7-3/4	Yes
SGJ314	1689B	**SGJ315**	1689	Ramp	-	1500 lbs.	32	x	45-1/2	x	8	-
ACCESSORIES												
SGJ300	1642IB			2 drum grate for all sizes except SGJ313			25-1/4	x	50-1/2	x	1-1/2	
SGJ316	1642B			2 drum grate for SGJ313			25-1/4	x	50-1/2	x	1-1/2	

EYE PROTECTION

Z100 SERIES EYEWEAR

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEH642	Clear
SGF244	Clear, Anti-Fog

Z200 SERIES EYEWEAR

- Superior protection at an economical price
- Ideal visitor spectacle
- Molded-in nose bridge
- Polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEF024	Clear
SGF243	Clear, Anti-Fog

Z500 SERIES EYEWEAR

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Distortion-free
- Standards met: CSA Z94.3/ANSI Z87+

Model No.	Lens Tint
SAP877	Clear
SAS362	Grey/Smoke
SAS363	Amber
SAS364	Blue
SEB183	Clear, Anti-Fog
SEA551	I/O Blue Mirror
SEE955	Orange

Z600 SERIES EYEWEAR

- Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAW920	Clear
SGF241	Clear, Anti-Fog
SGF242	Grey/Smoke

Z700 SERIES EYEWEAR

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX442	Clear
SFU768	Grey/Smoke
SFU769	Clear, Anti-Fog

Z1300 SERIES EYEWEAR

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC953	Clear

Z1400 SERIES EYEWEAR

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC954	Clear
SGF246	Clear, Anti-Fog

Z1500 SERIES EYEWEAR

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC955	Clear
SEI524	Grey/Smoke
SEI525	Amber
SEI526	Blue
SEI527	Mirror
SEI528	Clear, Anti-Fog

Z1600 SERIES EYEWEAR

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEE817	Clear

Z1800 SERIES EYEWEAR

- Readers Lens
- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Ultra-soft non slip nosepiece
- Adjustable temples provide a superior comfort and fit
- Black frame
- Distortion-free
- Compliant with CSA standard Z94.3.

Model No.	Lens Tint	Diopter
SEH013	Clear	1.0
SEH014	Clear	1.5
SEH015	Clear	2.0
SEH016	Clear	2.5

Z1900 SERIES EYEWEAR

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

SEH632

SEK287

Model No.	Lens Tint
SEH632	Clear
SEK286	Grey/Smoke
SEK287	Amber
SEK288	Blue
SEK289	I/O Full Mirror
SEK290	Clear, Anti-Fog

Z2200 SERIES EYEWEAR

- Modern design with extended wraparound coverage
- Flexible temples provide superior comfort and fit
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK293	Clear
SGF245	Clear, Anti-Fog

Z2400 SERIES EYEWEAR

- Frameless design with extended wraparound coverage
- Flexible temple provides added durability
- Scratch resistant polycarbonate lens with UV protection
- Distortion-free
- Certification(s): Compliant to CSA Z94.3 standard and ANSI Z87+

SET315

Model No.	Lens Tint	Lens Coating
SET315	Clear	Anti-Scratch
SET316	Grey/Smoke	Anti-Scratch
SET317	Amber	Anti-Scratch
SET318	Blue	Anti-Scratch
SET319	I/O Blue Mirror	Anti-Scratch
SET320	Clear	Anti-Fog

Z2500 SERIES EYEWEAR

- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible temples provide superior comfort and fit
- Distortion-free
- Available with or without foam gasket
- Compliant to CSA standard Z94.3 and ANSI Z87+

SDN708

Model No.	Lens Tint	Lens Coating
SDN701	Clear	Anti-Scratch
SDN702	Grey/Smoke	Anti-Scratch
SDN703	Amber	Anti-Scratch
SDN704	Blue	Anti-Scratch
SDN705	Indoor/Outdoor Mirror	Anti-Scratch
SDN706	Clear	Anti-Fog
WITH REMOVABLE FOAM GASKET		
SDN707	Clear	Anti-Scratch
SDN708	Grey/Smoke	Anti-Scratch
SDN709	Indoor/Outdoor Mirror	Anti-Scratch
SDN710	Clear	Anti-Fog

Z2600 SERIES EYEWEAR

- Narrow fit is suited for smaller facial features
- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Non-slip rubber head grips
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant to CSA standard Z94.3 and ANSI Z87+

SGF151

Model No.	Lens Tint
SGF150	Clear
SGF151	Grey/Smoke
SGF152	Clear, Anti-Fog

Z2700 OTG SERIES EYEWEAR

- Designed to fit over regular prescription glasses
- Ratchet temple provides superior comfort and fit
- Lens Coating: Anti-Scratch
- Frame Colour: Black
- Compliant to CSA standard Z94.3 and ANSI Z87+

Model No.	Lens Tint
SGF734	Clear
SGF735	Clear, Anti-Fog

Z1100 SERIES EYEWEAR

- Indirect ventilation
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEK294

GOGGLES W/SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEL095

WHISTLER HARD HAT - TYPE 1

- Sleek & modern style
- Lightweight high density polyethylene
- Rain trough & slotted design shell to accommodate all the latest accessories such as hearing protection, face shields, forestry kits or welding protection
- Attachment points for chin straps
- Comfortable 4-point nylon webbing suspension
- Large printing surfaces for company logo's on front, sides & back
- Certification(s): ANSI Type I/CSA Type 1

SFY478

DYNAMIC SAFETY INTERNATIONAL

Model No.	Mfg. No.	Colour
PIN LOCK		
SFY466	HP241/01	White
SFY580	HP241/02	Yellow
SFY547	HP241/03	Orange
SFY570	HP241/07	Sky Blue
SFY540	HP241/08	Navy Blue
SFY478	HP241/11	Black
SFY558	HP241/15	Red
SFY553	HP241/20	Pink
SFY522	HP241/31	High Visibility Orange
SFY517	HP241/44	High Visibility Yellow
"SURE-LOCK" RATCHET		
SFY722	HP241R/01	White
SFY730	HP241R/02	Yellow
SFY685	HP241R/03	Orange
SFY712	HP241R/07	Sky Blue
SFY678	HP241R/08	Navy Blue
SFY607	HP241R/11	Black
SFY698	HP241R/15	Red
SFY691	HP241R/20	Pink
SFY657	HP241R/31	High Visibility Orange
SFY651	HP241R/44	High Visibility Yellow

V-GARD® PROTECTIVE CAPS

OFFER COMFORTABLE, LIGHTWEIGHT PROTECTION

- V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system.
- V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size.
- Available with Fas-Trac® or 1-Touch™ suspension.
- Caps meet or exceed the applicable requirements for a type I helmet (top impact) as outlined in ANSI Z89.1 and CSA Z94.1 class E.

MSA

Model No.	Mfg. No.	Colour
FAS-TRAC® SUSPENSION		
SAF970	475358	White
SAF971	475359	Blue
SAF972	475360	Yellow
SAF973	475361	Orange
SAF974	475363	Red
SAF975	475362	Green
SAF976	475364	Grey
SAF977	488146	Hi-Viz Orange
SAF978	815565	Hi-Viz Lime Green
SDL113	10061512	Hi-Viz Yellow Green
SAF981	492559	Black
1-TOUCH™ SUSPENSION		
SAM578	10057441	White
SAM579	10057442	Blue
SAM580	10057443	Yellow
SAM581	10061514	Hi-Viz Lime Green

MONT-BLANC HARD HAT - TYPE 2

- Foam liner to offer added lateral front, side & back protection
- Sleek & attractive design
- High density polyethylene shell
- Shell has rain trough for extra convenience
- Large printing surfaces for great custom logos on front, sides & back
- Accessory slots & chin strap attachments
- CSA Z94.1 certified Type 2, Class E
- Certification(s): ANSI Type II/CSA Type 2

SFY765

DYNAMIC SAFETY INTERNATIONAL

Model No.	Mfg. No.	Colour
PIN LOCK		
SFY766	HP542/01	White
SFY767	HP542/02	Yellow
SFY761	HP542/03	Orange
SFY765	HP542/07	Sky Blue
SFY760	HP542/08	Navy Blue
SFY751	HP542/11	Black
SFY763	HP542/15	Red
SFY762	HP542/20	Pink
SFY768	HP542/31	Hi-Viz Orange
SFY757	HP542/44	High Visibility Yellow
"SURE-LOCK" RATCHET		
SFY860	HP542R/01	White
SFY822	HP542R/02	Yellow
SFY808	HP542R/03	Orange
SFY818	HP542R/07	Sky Blue
SFY806	HP542R/08	Navy Blue
SFY784	HP542R/11	Black
SFY813	HP542R/15	Red
SFY811	HP542R/20	Pink
SFY801	HP542R/31	Hi-Viz-Orange
SFY799	HP542R/44	High Visibility Yellow
ACCESORIES		
SFY884	HP542S	Replacement Suspension - Pin Lock
SFY885	HP542RS	Replacement Suspension - Ratchet

FACESHIELDS

Choose from a wide variety of faceshields that fit easily on MSA faceshield frames. Nitrometer faceshields and chin-guards incorporate an additional guard to help protect chin and neck and reduce the chance of upsweep of particles and splash. Faceshields should always be worn with primary eye protection such as high impact resistant spectacle or goggles. All MSA faceshields meet or exceed applicable requirements of ANSI Z87.1.

SEK030

SEL012

SEL099

MSA

Model No.	Mfg. No.	Description	Window Dimensions W"	x	D"
POLYCARBONATE					
SEK030	10115836	Clear, Side Contour	8	x	17
SEL088	10115842	Green Tint, Molded, AF/AS	8	x	17
PROPIONATE					
SEL084	10115855	Clear, Molded	8	x	17
SEL085	10115851	Clear, Molded	9.25	x	18
MESH					
SEL099	10116557	Mesh w/Plastic Edge		-	
FRAME					
SEJ998	10115730	V-Gard, for Slotted Caps, w/Debris Control			
SEL103	10121266	V-Gard, for Slotted Caps			
SEL012	10115822	V-Gard, Universal Frame, w/Debris Control			
SEK015	10121268	V-Gard, Universal Frame, w/o Debris Control			

E-A-R™ E-Z-FIT™

COMFORTABLE FIT FOR SMALLER EAR CANALS!

- Low pressure, soft smooth polyurethane foam is easy to roll and self-adjusting for increased user comfort, with no full feeling in the ear
- Bell-shaped design with a wide flange allows for easy insertion and removal
- Designed to fit medium and small ear canals with increased comfort
- Safe and non-irritating to the ear canal
- Laboratory tested NRR 28 dB
- Available one pair per poly bag uncorded or with breakaway cord
- CSA Z94.2 + CSA Class AL

Sold per box

SH114

Model No.	Mfg. No.	Description	NRR dB	Qty/Box (Pairs)
SH114	312-1208	Uncorded	28	200
SH115	312-1222	Corded	28	200

JAZZ BAND® HEARING PROTECTORS

- Extra soft tapered foam pods gently conform to the ear canal
- Band pressure is reduced by 50%
- A cooler and lighter alternative to earmuffs
- 100% PVC-free
- Higher NRR 25 dB
- Includes an extra pair of pods

SE922

Model No.	Mfg. No.	Description
SE922	6506	Jazz Band® w/ cord and replacement pods
SE923	6504	Replacement pods, 5 pairs and 1 cord per bag

PLUGSTATION® EAR PLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Eliminates the mess of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB

SAK439

Model No.	Mfg. No.	Description	Qty /Dispenser
SE924	6644	SparkPlugs®	250 prs.
SE925	6645	SparkPlugs®	500 prs.
SE847	6844	Pura-Fit®	250 prs.
SF624	6845	Pura-Fit®	500 prs.
SAK439	6648	Camo Plugs®	500 prs.

MX-6 EARMUFF

- Soft cushion-ribbed open air headband for cool comfort all day long
- Larger ear cushions allow freedom to fit almost all ears comfortably
- Extra soft foam/low pressure cushions and headband are PVC-free
- Exclusive waffled cup foam for superior NRR protection
- CSA Class AL

Model No.	Mfg. No.	Description	NRR dB
SDK994	6130	Headband	30
SDK996	6135	Hygiene Kit	-

POLYURETHANE FOAM EARPLUGS

- Smooth foam ear plugs fit comfortably while blocking out unwanted noise
- Each pair is packaged for convenient access
- Brightly coloured for enchanced visibility
- Disposable
- One-size fits all
- Certification(s): ANSI S3.19-1974/CSA Class AL

Sold per box

SFM651

SFM648

Model No.	Series	Description	NRR dB	Qty/Box (Pairs)
SFM648	EZ100	Corded, Tapered	32	100
SFM649	EZ100	Uncorded, Tapered	32	200
SFM650	EZ200	Corded, Barrel	30	100
SFM651	EZ200	Uncorded, Barrel	30	200

E-A-R™ PUSH-INS™ EARPLUGS

- Easy fit with no roll down required
- E.A.R.form™ yellow foam tip for ultimate comfort
- Blue stem allows for hygienic insertion and removal
- CSA Class AL
- NRR 28 dB

Sold per box

SAJ575

Model No.	Mfg. No.	Description	Qty/Box (Pairs)
SAJ489	318-1002	Uncorded	200
SAJ575	318-1003	Corded	200
METAL DETECTABLE			
SAP857	318-3000	Corded	200

E-A-R™ ULTRAFIT™ PREMOLDED REUSABLE EARPLUGS

- Patented triple flange design to fit a wide variety of ear canal sizes
- Washable, promotes worker hygiene
- Breakaway cord protects in case of machine entanglement
- Rating: NRR 25 dB, CSA Class AL

SE920

Model No.	Mfg. No.	Description	Qty /Box
SE920	340-4003	Uncorded	100 prs.
SE405	340-4004	Corded	100 prs.

3M™ PELTOR™ OPTIME™ 101 SERIES EARMUFFS

- Designed for maximum attenuation in a severe noise environment
- Soft sealing cushions easily replaceable by press-and-snap function
- Suitable for agriculture, construction equipment, heavy industry and airports
- CSA Class A
- Colour: Green
- Hygiene kits available

SC166

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.
SC165	H7A	Headband	27	7.8
SC166	H7B	Neckband	26	7.2
SC167	H7P3E	Cap Mount	24	8.8

RESPIRATORY PROTECTION

NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps
- Qty/Box: 50

Sold per Box

Model No. SAS499

FACE MASKS

- 3-ply non-woven polypropylene construction
- Adjustable nose clip provides a custom fit
- 95% BFE (Bacterial Filtration Efficiency)
- Latex-free
- Colour: Blue
- Qty/Box.: 50

Sold per Box

Model No. SDN589



N95 PARTICULATE FLAT FOLD RESPIRATORS

- Low breathing resistance for increased wearer comfort
- Adjustable plastic nose clip and soft foam nosepiece provide a custom fit
- Medium/Large
- Certification: NIOSH N95

Sold per Box

SDN711

SDN712

N95 PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex free
- **SAS498** comes with exhalation valve for reduced humidity build up
- Certification: NIOSH N95

Sold per Box

SAS497

SAS498

Model No.	Description	Qty /Box
SDN711	Without valve	20
SDN712	With valve	12

Model No.	Description	Qty /Box
SAS497	Without valve	20
SAS498	With valve	12

P100 PARTICULATE RESPIRATORS

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air build up to facilitate breathing in humid environments
- Cup style
- Medium/Large
- Certification: NIOSH P100
- Qty/Box: 5

Sold per Box

Model No. SDN714

N100 PARTICULATE RESPIRATORS

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air build up to facilitate breathing in humid environments
- Cup style
- Medium/Large
- Certification: NIOSH N100
- Qty/Box: 5

Sold per Box

Model No. SDN713

2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge easily seals without a metal nose band
- Soft foam nose cushion
- NIOSH approved N95
- 10 respirators per box
- **Sold per box**

Model No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Alternate Shape

8511 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- 3M™ Cool Flow™ exhalation valve reduces heat build up
- Adjustable M-nose clip
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95
- 10 respirators per box
- **Sold per box**

Model No. SE261
Mfg. No. 8511N95

8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip
- Welded strap attachment - no staples
- NIOSH approved N95
- 20 respirators per box
- **Sold per box**

Model No. SE260
Mfg. No. 8210N95

6500 SERIES HALF FACEPIECE RESPIRATORS

- Provides comfort and stability with a soft but firm silicone faceseal
- Resilient material extends product life
- Maintains its shape in high heat environments
- Overmolded, low-profile design simplifies cleaning and maintenance with fewer parts and crevices, and provides a wide field of view
- Valve cover design directs exhaled breath and moisture downwards, and facilitates a positive pressure seal check
- 3M™ Cool Flow™ Exhalation Valve enhances comfort by reducing heat and moisture, and allows for easier breathing
- Adjustable head harness assembly provides optimumfit and comfort with a three-size adjustable head cradle
- Long-lasting polyester spandex straps
- Optional quick-latch drop-down mechanism allows for easy on and off as workers move in and out of contaminated areas – no need to remove your hard hat or faceshield
- NIOSH approved

Model No.	Mfg. No.	Size
SEJ779	6501	Small
SEJ780	6502	Medium
SEJ781	6503	Large
W/QUICK-LATCH DROP-DOWN FEATURE		
SEJ782	6501QL	Small
SEJ783	6502QL	Medium
SEJ784	6503QL	Large

SEJ779

SEJ782

Model No.	Mfg. No.	Description	Approved For	Qty /Pkg.
SDS613	6001i	Organic Vapours w/Service Life Indicator	Organic Vapours	2
SE892	6001	Organic Vapours	Organic Vapours	2
SE893	6002	Acid Gas	Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Sulfide	2
SE894	6003	Organic Vapours/ Acid Gas	Organic Vapours/Chlorine/Hydrogen Chloride/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide	2
SE896	6005	Formaldahyde	Formaldehyde and certain organic vapours	2
SE897	6006	Multi-Gas/ Vapour	Organic Vapours/Chlorine/Chlorine Dioxide/ Hydrogen Chloride/ Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/Ammonia/ Methylamine/Formaldehyde	2
SDS614	60921i	Organic Vapours/P100 w/Service Life Indicator	Organic Vapours/Permanently pre-attached P100 pre filter*	2
SE899	60921	Organice Vavour P 100	Organic Vapours/Permanently pre-attached P100 pre filter*	2
SE901	60923	Organic Vapours/Acid Gas/P100	Organic Vapours/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/ Hydrogen Sulfide/Permanently pre-attached P100 prefilter*	2
SE902	60924	Ammonia/Methylamine/P100	Ammonia/Methylamine/Permanently pre-attached P100 prefilter*	2
SE904	60926	Multi-Gas/Vapour/P100	Organic Vapours/Chlorine/Chlorine Dioxide/Hydrogen Chloride/ Ammonia/Methylamine/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/ Formaldehyde/Permanently pre-attached P100 prefilter*	2
SE906	2071	P95 Filter	Grinding, sanding, bagging, welding, other oily/dusty operations	2
SE908	2078	P95 Filter w/Nuisance Level Organic Vapour and Acid Gas	Chemical manufacturing, welding, aluminum smelting	2
SE909	2091	P100 Filter	Welding, pharmaceutical manufacturing	2
SE910	2096	P100 Filter w/Acid Gas	Utility operations, chemical manufacturing aluminum smelting	2
SE911	2097	P100 Filter w/Organic Vapour	Welding, metal foundry, chemical manufacturing undercoating operations, pharmaceutical manufacturing	2

SDS613

SDS614

SE906

DELTA™ HARNESSES

- Patented triangular no-tangle design
- Repel™ webbing is water repellent
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Certified to CSA standard Z259.10-06, Class A

SEB391

Model No.	Mfg. No.	Leg Connections
SEB391	1110600C	Quick-Connect
SEB406	1102000C	Tongue Buckle
SEB403	1103321C	Pass-Thru

PROTECTA® FULL-BODY HARNESSES

- Fixed D-ring reduces the need for readjustment throughout the workday
- Modern design gives the harness a fresh and sleek look
- Auto-resetting lanyard keeps for fast and easy parking of snap hooks and carabiners
- Impact indicators make it easy to inspect the harness for prior damaging impact loads
- Protected labels for long-term identification and inspection
- Weight Capacity: 420 lbs.
- Certified to CSA standard Z259.10
- Size: Medium/Large

SGI148

Model No.	Mfg. No.	Style	D-Rings	Leg Connections	CSA Class
SGI641	1161571C	Vest-Style	Back	Pass-Thru	A
SGH427	1161542C	Vest-Style	Back	Pass-Thru	A
SGJ061	1161525C	Vest-Style	Back	Quick Connect	A
SGI148	1161309C	Construction Style Positioning	Back, Side	Tongue Buckle	A,P
SGJ065	1161529C	Vest-Style Retrieval	Back, Shoulder	Quick Connect	A,E

Note: Available in other sizes, styles and configurations

REBEL™ WEB SELF-RETRACTING LIFELINES

- Web lifeline
- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Durable aluminum housing
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

SEB349 SEB350

Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
SEB349	AD110BC	10	Swivel Snap Hook	Swivel Carabiner
SEB350	AD120BC	20	Swivel Snap Hook	Swivel Carabiner

EVOTECH® FULL-BODY HARNESSES

- Designed to improve user comfort, ease of use, durability and safety
- No binding edge on shoulder padding prevents neck from chafing
- Washable shoulder pad is easily added and removed with VELCRO®
- Reflective piping integrated into harness webbing increases visibility in low-light environments
- NanoSphere coating on webbing repels dirt, grease and moisture
- Web finials prevent fraying on web ends
- RFID chip provides easy means of tracking and inspecting product
- Covered label pack protects labels from environment
- Weight Capacity: 400 lbs.

SGD372

Model No.	Mfg. No.	D-Rings	Leg Strap Connections	Chest Strap Connections	Size	CSA Class
SGD370	10105889	Back	Pass-Through	Pass-through	Universal	A
SGD372	10105931	Back	Tongue Buckle	Quick-Connect	Universal	A
SGD374	10105940	Back	Quick-Connect	Quick-Connect	Universal	A
SGD378	10105933	Back/Side	Tongue Buckle	Quick-Connect	Universal	A, P

SHOCKWAVE™ 2 LANYARDS

- Tubular core style lanyards uniquely designed to expand and contract in reaction to a workers movements
- Stays out of your way when not in use, avoiding trips and snags
- Built in impact indicator provides visual evidence if the lanyard has been involved in a fall
- Length: 6'
- Certified to CSA standard Z259.11, Class E4

SEB868

Model No.	Mfg. No.	No. of Legs	Harness Connection	Anchorage Connections
SEB868	1244306C	One	Snap Hook	Snap Hook
SEB869	1242450C	Two	Snap Hook	Snap Hooks

PRO™ PACK SHOCK ABSORBING LANYARDS

- Pack-type shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11

SEB872

Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections	CSA Class
SEB871	1341004C	4	One	Snap Hook	Snap Hook	E4
SEB872	1341001C	6	One	Snap Hook	Snap Hook	E4
SEB384	1340125C	6	One	Snap Hook	Gate Hook	E4
SEF153	1340180C	6	Two	Snap Hook	Gate Hooks	E4
SES801	1360180C	6	Two	Snap Hook	Gate Hooks	E6

V-SERIES LANYARDS

- The New V-Series shock absorbing lanyard line simplifies product selection by offering a concise line of standard lanyards that meet a wide range of customer needs
- Includes a clear, durable protective cover on the labels to increase service life, and allow for easy inspection
- Meets the new CSA Z259.11-17 standard for shock absorbing safety lanyards, with a current selection of standard (150–310 lbs.) and lightweight (100–230 lbs.) worker options

SGK246

Model No.	Mfg. No.	Number of Legs	Anchorage Connections	Length'
CSA (150-310 LBS.)				
SGK246	10188100	One	36C Small Snap Hook	6
SGK956	10188102	Two	36C Small Snap Hook	6
SGK957	10188103	One	36L Large Snap Hook	6
SGK958	10188101	Two	36L Large Snap Hook	6
LIGHTWEIGHT CSA (100-230 LBS.)				
SGK959	10190397	One	36C Small Snap Hook	6
SGK960	10190399	Two	36C Small Snap Hook	6
SGK961	10190398	One	36L Large Snap Hook	6
SGK962	10190400	Two	36L Large Snap Hook	6

V-TEC™ PERSONAL FALL LIMITER

- Compact and lightweight
- New design eliminates the need for an external energy-absorber outside of the housing
- High-impact polycarbonate transparent housing allows for easy visual inspection of internal components
- 360° fully rotating attachment point for complete flexibility
- Requires zero recalibration or adjustment
- Stainless steel components
- Certified to CSA standard Z259.2.2

SFU591

Model No.	Mfg. No.	Lifeline	Harness Connection	Anchorage Connection
SGC214	63011-00B	6' Web	Carabiner	Snap Hook
SGD369	63011-00A	6' Web	Carabiner	Scaffold Hook
SFU591	63013-00E	10' Web	Carabiner	Snap Hook

EXAMINATION GRADE NITRILE

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Latex-free
- Ambidextrous design • **Not for medical use**
- 9.5" length • AQL 1.5
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes

Sold per Box of 100 Gloves

Applications: Manufacturing, maintenance, small parts handling, laboratory applications and automotive

Model No.	Size
4-MIL, POWDERED	
SEA916	X-Small
SAP320	Small
SAP321	Medium
SAP322	Large
SAP323	X-Large
SEA917	2X-Large

Model No.	Size
4-MIL, POWDER-FREE	
SEA918	X-Small
SAP324	Small
SAP325	Medium
SAP326	Large
SAP327	X-Large
SEA919	2X-Large

Model No.	Size
3.5-MIL, POWDER-FREE	
SDM041	Small
SDM042	Medium
SDM043	Large
SDM044	X-Large
SDM268	2X-Large

BLACK NITRILE GLOVES

- Textured fingertips provide superior wet and dry grip
- 8-mil glove has fully textured diamond pattern
- Beaded cuff for added strength
- Superior puncture and tear resistance
- Excellent tactile sensitivity and dexterity
- Latex-free • Ambidextrous design
- AQL 1.5 • Powder-free
- Case Qty: 10 boxes

Applications: Manufacturing, maintenance, small parts handling, laboratory and automotive, law enforcement

SEK261

5 MILS - Sold per box of 100 gloves

Model No.	Size
SEB085	Small
SEB086	Medium
SEB087	Large
SEB088	X-Large
SED981	2X-Large

8 MILS- Sold per box of 50 gloves

Model No.	Size
SEK261	Small
SEK262	Medium
SEK263	Large
SEK264	X-Large
SEK265	2X-Large

EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils, AQL 1.5 • 9.5" length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**

Applications: Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial

SAP329

Model No.	Size
POWDERED	
SAP329	Small
SAP330	Medium
SAP331	Large
SAP332	X-Large
POWDER-FREE	
SAP333	X-Small
SAP334	Small
SAP335	Medium
SAP336	Large
SAP337	X-Large

PVC SMOOTH FINISH GLOVES

- Bright red PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Ideal for general chemical handling
- Colour: Red
- Case Qty: 120
- **Sold per pair**

Applications: Fisheries, general maintenance, petrochemical industry

SEE804

Model No.	Description
SEE804	12" Gauntlet
SEE805	14" Gauntlet
SEE806	Knit Wrist

FLOCK-LINED GREEN NITRILE GLOVES

- Cotton flock lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- Accepted for use in Canadian food processing facilities
- 13" length, 15-mil thick
- Case Qty: 120
- **Sold per pair**

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

SEE085

Model No.	Size
SEF083	7
SEF084	8
SEF085	9
SEF086	10
SEF087	11

VALUE MASTER® NATURAL RUBBER GLOVES

- Provides unequalled value, comfort and flexibility, outstanding tactile sensitivity, strength, dexterity and elasticity
- Form-fitting 100% natural rubber-latex
- Features a self-flushing tractor-tread pattern that provides an excellent grip, wet or dry, and encourages run-off of fluids often trapped by diamond-shaped embossed patterns
- 12" length, 18-mil thick
- Resists a wide range of chemicals, including animal fats, caustics, acids, oils, salts, alcohols and detergents
- Case Qty: 144
- **Sold per pair**

SA626

Model No.	Mfg. No.	Description	Size
SA627	VM-S	Flock Lined, 12"	Small
SA626	VM-M	Flock Lined, 12"	Medium
SA625	VM-L	Flock Lined, 12"	Large
SA628	VM-XL	Flock Lined, 12"	X-Large

LEATHER GLOVES

SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVES

SM579

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton lined palm
- Rubberized safety cuff provides superior protection
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

Applications: Heavy-duty material handling, fabrication and metal handling

Model No.	Description	Size	Qty/Case
SM578	Outside Double Palm & Index Finger	Large	120
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	120
SD604	Outside Double Palm, Index Finger & Finger Tips	Large	60
SE349	Inside Double Palm & Index Finger	Large	120

SMOOTH GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120
- **Sold per pair**

Applications: Material handling, fabrication, metal handling and construction

Model No.	Size
SAN270	Large

THINSULATE™ LINED SPLIT COWHIDE FITTERS GLOVES

SAN637

- Premium split cowhide leather construction
- Full Thinsulate™ lining provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Thinner lining than acrylic boa provides better dexterity
- **Sold per pair**

Applications: Extreme cold material handling, fabrication, metal handling and construction

SM609

Model No.	Size	Lining Weight g	Qty/Case
SAS500	Ladies	100	72
SAN637	Medium	100	60
SAL544	Large	40	72
SM609	Large	100	72
SAP248	X-Large	100	72
SAP249	2X-Large	100	72

GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

SAO053

- Premium grain cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

Applications: Extreme cold material handling, fabrication, metal handling and construction

Model No.	Description	Size
SAO053	Rubberized Safety Cuff	Large
SEI681	Ruberized Safety Cuff, Patch Palm	Large

GRAIN COWHIDE PATCH PALM FITTERS GLOVES

YC386

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

Applications: Material handling, fabrication, metal handling and construction

Model No.	Description	Size
YC386	Standard Quality, Plasticized Cuff	Large
SEC594	Better Quality, 4 3/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	X-Large

SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

SED160

- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120
- **Sold per pair**

Model No.	Size	Colour
SED160	Large	Fluorescent Yellow
SEK236	Large	Fluorescent Orange

SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

SED428

- Premium construction
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72
- **Sold per pair**

Model No.	Size	Colour
SED428	Large	Fluoroescent Yellow
SEK237	Large	Fluorescent Orange

HYD-TUF® GLOVES

SAW956

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Safety cuff
- Accepted for use in Canadian food processing facilities
- **Sold per pair**

HYD-TUF 52-547 GLOVES

- Driver's style, with cloth back and soft jersey lining
- Case Qty: 144

HYD-TUF 52-590 GLOVES

- Medium to heavy-duty A.C.P. impregnated winter gloves
- Case Qty: 72

HYD-TUF 52-547

Model No.	Size
SAW956	9
SAW957	10

HYD-TUF 52-590

Model No.	Size
SEA275	9
SEA276	10

ZM100 MECHANIC GLOVES

SEB048

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Model No.	Size
SEB047	Medium
SEB048	Large
SEB049	X-Large
SEB050	2X-Large

ZM300 MECHANIC GLOVES

SEB229

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Model No.	Size
SEB228	Medium
SEB229	Large
SEB230	X-Large
SEB231	2X-Large

ZM500 HI-VIZ CUT RESISTANT MECHANIC GLOVES

SDP434

- Reinforced full palm HPPE liner that meets EN388 cut level 5
- Hi-viz yellow spandex back for maximum visibility
- Terry towel thumb for wiping perspiration
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Case Qty: 36

Sold per Pair

Applications: Automotive, small parts handling, maintenance, manufacturing, petrochemical and most industrial applications

Model No.	Size
SDP433	Medium
SDP434	Large
SDP435	X-Large
SDP436	2X-Large

POLY/COTTON STRING KNIT GLOVES

SEE932

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 300
- **Sold per pair**

Model No.	Size
SEE932	X-Small
SEE933	Small
SEE934	Medium
SEE935	Large
SEE936	X-Large
SEE937	2X-Large

ZM200 MECHANIC GLOVES

SEB052

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Model No.	Size
SEB051	Medium
SEB052	Large
SEB053	X-Large
SEB054	2X-Large

ZM400 PREMIUM MECHANIC GLOVES

SEH740

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar stitching for maximum strength and durability
- PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles improves dexterity and comfort
- Ventilation holes between fingers for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications

Model No.	Size
SEH739	Medium
SEH740	Large
SEH741	X-Large
SEH742	2X-Large

NATURAL POLY/COTTON DOTTED GLOVES

SEE939

- 65% cotton and 35% polyester blend, 7-gauge
- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, single side dotted
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- **Sold per pair**

Applications: General maintenance, shipping and receiving, assembly and parts handling

Model No.	Size
SEE938	X-Small
SEE939	Small
SEE940	Medium
SEE941	Large
SEE942	X-Large

COTTON CANVAS GLOVES

SEE846

- Durable cotton fabric construction
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300
- **Sold per pair**

Model No.	Fabric Weight Oz.	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large

COATED GLOVES

NATURAL RUBBER LATEX PALM COATED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Exceptional comfort and fit
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120 • EN 388 Performance Levels: 2144
- EN 420 Dexterity Level: 5 • **Sold per pair**

Model No.	Size
SEB865	7
SAL255	8
SAL256	9

Model No.	Size
SAL257	10
SAL258	11

HIGH VISIBILITY RUBBER COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal lining offers superior cold protection
- 7-gauge seamless terry knitted and brushed liner
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit • Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip
- EN 388 Performance Levels: 3143
- EN 511 Contact Cold Resistance Level: 1 • **Sold per pair**

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance.

Model No.	Size
SEC797	7
SEC798	8
SEC799	9
SEC800	10
SEC801	11

WINTER MONKEY GRIP® GLOVES

- PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- Accepted for use in Canadian food processing facilities
- Case Qty: 72 • **Sold per pair**

Applications: Cold storage, winter transportation, yard and field work, unheated warehouses, construction

Model No.	Description
SBA992	Knit Wrist
SBA993	Safety Cuff
SEE953	Raised Finish, Safety Cuff

ZX-2 PREMIUM GLOVES

- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Black foam nitrile palm coating for maximum grip in dry, wet and oily conditions
- Purple flat nitrile 3/4 coating to prevent liquids from permeating through the glove shell
- Grey seamless nylon/spandex 18-gauge shell for maximum dexterity
- Premium comfort and breathability reduces hand fatigue
- Knit wrist prevents dirt and debris from entering the glove
- Gauge: 18 • Liner: Nylon
- Unlined
- Case Qty: 144
- EN 388 Performance Levels: 4121

Applications: Automotive, small parts handling, assembly and maintenance, manufacturing, wet/oily applications
Sold per pair

Model No.	Size
SDP444	7
SDP445	8
SDP446	9
SDP447	10
SDP448	11

NITRILE PALM COATED GLOVES

- Seamless polyester knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior abrasion, cut and puncture resistance
- Excellent dry grip • Durable nitrile-coated palm
- Knit wrist
- EN 388 Performance Levels: 4123
- EN 420 Dexterity Level: 5
- Case Qty: 120
- **Sold per pair**

Model No.	Size
GREY ON BLACK	
SAP931	7
SAP932	8
SAP933	9
SAP934	10
SAP935	11

Model No.	Size
BLACK ON WHITE	
SA0157	7
SA0158	8
SA0159	9
SA0160	10
SAP355	11

LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Seamless polyester knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior dry grip
- Excellent abrasion resistance
- Ultra soft polyurethane palm coated
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120 • EN 388 Performance Levels: 4114
- EN 420 Dexterity Level: 5 • **Sold per pair**

White Model No.	Black Model No.	Size
SA0161	SAX694	6
SA0162	SAX695	7
SA0163	SAX696	8
SA0164	SAX697	9
SA0165	SAX698	10
SA0166	SAX699	11

NATURAL RUBBER LATEX COATED GLOVES

- Natural rubber latex palm coating
- 13-gauge seamless knitted polyester shell provides a comfortable fit
- Resists abrasion, cuts and punctures
- Crinkle finish coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove
- Gauge: 13 • Liner: Polyester • Coating: Rubber Latex
- Lining: Unlined • Case Qty: 120
- EN 388 Performance Levels: 2121 • **Sold per Pair**

Applications: Glass handling, construction, wood handling, automotive, masonry and general maintenance/manufacturing

Model No.	Size
SFM541	Small (7)
SFM542	Medium (8)
SFM543	Large (9)
SFM544	X-Large (10)

MEDIUM WEIGHT NITRILE COATED GLOVES

- Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- Excellent comfort and breathability
- Greater dexterity than heavyweight
- Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120
- **Sold per pair**

Model No.	Size
SA0150	7
SA0151	8
SA0152	9
SA0153	10
SA0154	11

HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Cut resistance: ANSI/ISEA 105 Level 4/EN 388 Level 5
- Case Qty: 144
- EN 388 Performance Levels: 4542
- **Sold per pair**

SEF168

Model No.	Size
SEF166	7
SEF167	8
SEF168	9
SEF169	10
SEF170	11

FOAM NITRILE COATED ARAMID GLOVES

- Stretchable seamless 13-gauge Aramid liner
- Foam nitrile palm coating provides optimal grip in light oil and wet conditions
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Meets EN 388 Level 5|ANSI/ISEA 105 Level 3
- Case Qty: 120
- EN 388 Performance Levels: 3524
- **Sold per pair**

Applications: Component assembly, waste handling, automotive and metal handling

SAP923

Model No.	Size
SEC137	7
SAP923	8
SAP924	9

Model No.	Size
SAP925	10
SAP926	11
SEC138	12

LATEX COATED TWARON® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Twaron® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- EN 388 Performance Levels: 2434
- **Sold per pair**

Applications: Material handling, automotive, glass handling and waste handling

SAP927

Model No.	Size
SAP927	8
SAP928	9

Model No.	Size
SAP929	10
SAP930	11

HPPE NITRILE-COATED GLOVES

- Stretchable seamless liner
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Meets EN 388 Level 3|ANSI/ISEA 105 Level 2
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- EN 388 Performance Levels: 4342
- **Sold per pair**

SEB090

Model No.	Size
SEB090	7
SEB091	8
SEB092	9

Model No.	Size
SEB093	10
SEB094	11

HYFLEX® 11-501 GLOVES

- Intercept Technology™ yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144
- **Sold per pair**

Applications: Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass

SAW951

Ansell

Model No.	Size
SAW951	6
SAW952	7
SAW953	8

Model No.	Size
SAW954	9
SAW955	10

HY-FLEX® 11-518 GLOVES

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched combination of cut protection, comfort and dexterity in an 18-gauge glove
- Soft, sheer Dyneema® Diamond fibre breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance
- Case Qty: 144
- **Sold per pair**

Applications: Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring

SEI847

Ansell

Model No.	Size
SEI847	Small
SEI848	Medium
SEI849	Large
SEI850	X-Large

HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

Applications: Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts

SAW989

Ansell

Model No.	Size
SAW989	6
SAW990	7
SAW991	8

Model No.	Size
SAW992	9
SAW993	10
SAW994	11

HYFLEX® 11-627 GLOVES

- Dyneema® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of Dyneema®
- Lycra® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Meets ANSI/ISEA 105 Level 1/EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

Applications: Applications, automotive, metal, glass, aeronautics, white goods manufacturing

SAY080

Ansell

Model No.	Size
SAY080	6
SAY081	7
SAY082	8

Model No.	Size
SAY083	9
SAY084	10

SMS HOODED COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Zipper front with storm flap, attached hood, elastic wrists and ankles
- Available in white or navy blue
- Fabric weight: 1.80 oz/yd² (60 grams)
- Case Qty: 25

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.

SEC842

SEC848

ZENITH® Safety Products

White Model No.	Navy Model No.	Size
SEC841	SEC847	Medium
SEC842	SEC848	Large
SEC843	SEC849	X-Large
SEC844	SEC850	2X-Large
SEC845	SEC851	3X-Large
SEC846	SEC852	4X-Large

POLYPROPYLENE HOODED COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Case Qty: 50

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.

SEK372

SEK358

ZENITH® Safety Products

STANDARD

- Front zipper for optimum fit
- 1.6 oz/m² fabric

Model No.	Size
STANDARD COVERALLS	
SEK356	Medium
SEK357	Large
SEK358	X-Large
SEK359	2X-Large
SEK360	3X-Large
SEK361	4X-Large
SEK362	5X-Large

PREMIUM

- Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- Features front left breast pocket
- 2.1 oz/m² fabric

Model No.	Size
PREMIUM COVERALLS	
SEK370	Medium
SEK371	Large
SEK372	X-Large
SEK373	2X-Large
SEK374	3X-Large
SEK375	4X-Large
SEK376	5X-Large

MICROPOROUS COVERALLS

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- EN1149 certified for surface resistivity and ASTM 1670 and 1671 for blood and blood borne pathogens
- Fabric weight: 1.85 oz/yd² (63 grams)
- Case Qty: 25

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting

SEC816

SEC809

ZENITH® Safety Products

Model No.	Description	Size
COVERALLS		
SEC807	Zipper front w/storm flap, elastic wrists and ankles	Small
SEC808		Medium
SEC809		Large
SEC810		X-Large
SEC811		2X-Large
SEC812		3X-Large
SEC813		4X-Large

Model No.	Description	Size
HOODED COVERALLS		
SEC814	Zipper front w/storm flap, attached hood, elastic wrists and ankles	Small
SEC815		Medium
SEC816		Large
SEC817		X-Large
SEC818		2X-Large
SEC819		3X-Large
SEC820		4X-Large

TYVEK® 400 COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Case Qty: 25

DUPONT®

Applications:
General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.

SAS042

	Model No.	Mfg. No.	Size
COVERALLS Serged seams, collar, front zipper closure, elastic wrists and ankles	SAS035	TY125S-M	Medium
	SAS036	TY125S-L	Large
	SAS037	TY125S-XL	X-Large
	SAS038	TY125S-2XL	2X-Large
	SAS039	TY125S-3XL	3X-Large
	SAS040	TY125S-4XL	4X-Large
HOODED COVERALLS Serged seams, attached hood, front zipper closure, elastic wrists and ankles	SAS042	TY127S-M	Medium
	SAS043	TY127S-L	Large
	SAS044	TY127S-XL	X-Large
	SAS045	TY127S-2XL	2X-Large
	SAS046	TY127S-3XL	3X-Large
	SAS047	TY127S-4XL	4X-Large

POLYETHYLENE APRONS & SLEEVES

- Thickness: 0.02 mm

APRONS

- Bib style
- Disposable polyethylene apron with waist ties
- Dimensions: 35" x 46"
- 100/pkg.

SLEEVES

- Elastic at both ends
- Length: 16"

ZENITH Safety Products

Model No.	Description	Qty /Pkg.
SEK351	Apron	100
SEK350	Sleeve	100

APRONS

- Bib-style aprons
- **SEE888** and **SEE852**: Cotton straps for adjustability
- Vinyl aprons feature seamless edges to prevent residue and bacteria accumulation
- Denim aprons feature one chest pocket and three waist pockets
- Accepted for use in Canadian food processing facilities

ZENITH Safety Products

Model No.	Fabric	Dimensions L" x W"	Colour
SEE888	0.20 mm Lightweight Vinyl	45 x 36	Blue
SEE852	10 oz. 100% Cotton Canvas	36 x 29	White
SEE851	10 oz. Denim	38 x 28	Blue

BOUFFANT CAPS

- Non-woven polypropylene
- Elasticized band for an optimum fit
- 100% latex-free
- Sold per package

ZENITH Safety Products

Model No.	Size	Colour	Qty /Pkg.
SEC375	Medium 18"	White	100
SEC376	Large 21"	White	100
SEC377	X-Large 24"	White	100
SEC378	Large 21"	Blue	100
SEN410	X-Large 24"	Blue	100

SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free model has a textured sole for improved traction
- Colour: Blue
- Sold per package

ZENITH Safety Products

Model No.	Description	Size	Qty /Pkg.
SEC389	Regular Sole	Large	100
SEC390	Regular Sole	X-Large	100
SEC391	Skid-Free Sole	X-Large	100

RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams

ZENITH Safety Products

Model No.	Size
SEH092	Small
SEH093	Medium
SEH094	Large
SEH095	X-Large
SEH096	2X-Large
SEH097	3X-Large
SEH098	4X-Large

RZ500 FLAME RESISTANT RAIN SUITS

- 0.30-mm material thickness
- Yellow tear-resistant PVC/nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance

ZENITH Safety Products

Model No.	Size
SEH099	Small
SEH100	Medium
SEH101	Large
SEH102	X-Large
SEH103	2X-Large
SEH104	3X-Large
SEH105	4X-Large

RZ100 RAIN SUITS

- 0.35-mm material thickness
- Yellow triple layer PVC/polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically-welded seams

ZENITH® Safety Products

Model No.	Size
SEH078	Small
SEH079	Medium
SEH080	Large
SEH081	X-Large
SEH082	2X-Large
SEH083	3X-Large
SEH084	4X-Large

RZ600 FLAME RESISTANT RAIN SUITS

- 0.35 mm material thickness
- Yellow PVC/polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
- Cape back and underarm vents
- Bib overall pants come with fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles

ZENITH® Safety Products

Model No.	Size
SEH106	Small
SEH107	Medium
SEH108	Large
SEH109	X-Large
SEH110	2X-Large
SEH111	3X-Large
SEH112	4X-Large

RZ200 LONG COATS

- 0.35 mm material thickness
- Yellow triple layer PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Fire retardant
- Ultrasonically welded seams

ZENITH® Safety Products

Model No.	Size
SEH085	Small
SEH086	Medium
SEH087	Large
SEH088	X-Large
SEH089	2X-Large
SEH090	3X-Large
SEH091	4X-Large

RZ1000 RAIN BIB PANTS AND JACKETS

- High visibility yellow material, 100% 300D polyester Oxford
- Pants come with adjustable suspenders, ankle & waist snaps
- Jacket comes with ID pocket, snaps, zipper, two patch pockets and detachable hood
- Jacket comes with an adjustable wrist cuff
- CSA Z96-15 Class 3 Level 2 when worn with Class 2 Level 2 top
- Colour: High visibility yellow
- Reflective stripe colour: Silver
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2

ZENITH® Safety Products

Model No.	Size
RAIN BIB PANTS	
SGM201	Small
SGM202	Medium
SGM203	Large
SGM204	X-Large
SGM205	2X-Large
SGM206	3X-Large
SGM207	4X-Large

Model No.	Size
RAIN JACKET	
SGM194	Small
SGM195	Medium
SGM196	Large
SGM197	X-Large
SGM198	2X-Large
SGM199	3X-Large
SGM200	4X-Large

CSA-COMPLIANT TRAFFIC SAFETY VESTS

ZENITH® Safety Products

- Lightweight and comfortable, fluorescent sport mesh knit fabric
- 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back
- 4" yellow/silver reflective stripes offer maximum night-time visibility
- Front hook & loop closure permits optimal fitting
- Machine washable
- Reflective Stripe Colour: Silver
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2

SGI277

SGI273

Model No.	Size
ORANGE VESTS	
SGI273	Medium
SGI274	Large
SGI275	X-Large
SGI276	2X-Large
YELLOW VESTS	
SGI277	Medium
SGI278	Large
SGI279	X-Large
SGI280	2X-Large

FLAME-RESISTANT HIGH VISIBILITY VESTS

- Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance
- 4" yellow/silver reflective stripes offer maximum night-time visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Three hook & loop sealed pockets and one open pocket
- Two radio loops
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Colour: High Visibility Orange
- Reflective Stripe Colour: Silver
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2

ZENITH® Safety Products

SGF140

SGF136

Model No.	Size
ORANGE VESTS	
SGF136	Medium
SGF137	Large
SGF138	X-Large
SGF139	2X-Large
YELLOW VESTS	
SGF140	Medium
SGF141	Large
SGF142	X-Large
SGF143	2X-Large

TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release

ZENITH® Safety Products

Model No.	Size
SEF093	Medium
SEF094	Large
SEF095	X-Large
SEF096	2X-Large

TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" silver reflective stripes offer maximum nighttime visibility
- Front hook and loop enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

ZENITH® Safety Products

Model No.		
Orange	Lime-Yellow	Size
SEB698	SEB702	Medium
SEB699	SEB703	Large
SEB700	SEB704	X-Large
SEB701	SEB705	2X-Large

PREMIUM POLYESTER T-SHIRTS

- Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

ZENITH® Safety Products

Model No.		
Orange	Lime-Yellow	Size
SEF109	SEL243	Medium
SEF110	SEL244	Large
SEF111	SEL245	X-Large
SEF112	SEL246	2X-Large

TRAFFIC HARNESSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



ZENITH® Safety Products

Model No.	Size
SEF117	Medium
SEF118	Large
SEF119	X-Large
SEF120	2X-Large
SEF121	3X-Large

5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

ZENITH® Safety Products

Model No.	Size
SEF097	Medium
SEF098	Large
SEF099	X-Large
SEF100	2X-Large

SURVEYOR TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Two top hook and loop sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements

ZENITH® Safety Products

Model No.		
Orange	Lime-Yellow	Size
SEF101	SEK232	Medium
SEF102	SEK233	Large
SEF103	SEK234	X-Large
SEF104	SEK235	2X-Large

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Hook and loop closure permits optimal fit
- Available in various lengths

ZENITH® Safety Products

Model No.	Length"
SEF122	10
SEF123	12
SEF124	13 1/2
SEF125	15
SEF126	17
SEF127	19

EMERGENCY EYEWASH STATIONS

SINGLE USE EYEWASH STATIONS

- Complete with wall mounted panel, featuring a mirror, sterile irrigating solution and eye cups

SGA888

SGA887

DYNAMIC SAFETY INTERNATIONAL

Model No.	Mfg No.	Includes
SGA887	FAEWS6514F	SGA897 plus (1) 32 oz./1 L with eye cup SGB149
SGA889	FAEWS1416F	SGA894 plus (2) 32 oz./1 L with eye cup attach SGB149
SGA886	FAEWS1113F	SGA891 plus (1) 16 oz./500 ml with eye cup attach SGB154
SGA888	FAEWS1213F	SGA893 plus (2) 16 oz./500 ml with eye cup SGB154

FENDALL PURE FLOW 1000® EYEWASH STATIONS

- Sure-grip handle provides instant activation
- Activation straps display expiration date
- Integral drain valve and fluid resevoir
- Automatically displays "Warning Service Immediately" once activated
- Requires two 3.8 gallon Eyesaline® fluid cartridges (sold separately)
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1-2009

Honeywell

Model No.	Mfg. No.	Description
SD552	32-001000-0000	Eyewash Station (English Instructions)
SAJ678	32-001000-0022	Eyewash Station (French Instructions)
SD553	32-001050-0000	Fluid Cartridges (2/pkg)

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, molded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank
- Vandal-resistant unit: foreign objects cannot be introduced into tank
- SEI certified to ANSI standard Z358.1-2009
- Includes wall bracket (can also deck mount)

ON-SITE® WASTE CARTS

- Captures used fluid, 56-gallon capacity
- Tapered sump, easy to drain

SAK609

SAK611

Bradley

Model No.	Mfg. No.	Description
SAK609	S19-921	Gravity-Fed Eyewash
SAK611	S19-399	Waste Cart

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Faucet can be used for normal operation
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1-2009

Model No. SAK621
Mfg. No. S19-200B



Faucet not included

Bradley

FENDALL PORTA STREAM® II & III EYEWASH STATIONS

- Versatile portability without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® - a preserved, buffered, saline solution superior to tap water for emergency eye care, and Fend-all water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1-2009

SEK529

Honeywell

Model No.	Mfg. No.	Description
SEK529	32-000200-0000	Eyewash (Trilingual instructions)
SA411	32-000513-0020	Eyesaline® Concentrate, 180 oz.
SAJ677	32-001100-0022	Water Preservative, 8 oz. Bottles, 4/Case
SA426	32-000102-0000	Replacement Pull-Strap

AXION® EYEPOD® EYEWASH

- Faucet-mounted eyewash in an attractive, low-cost, compact package
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Sleek, smooth, stainless steel exterior blends with any décor
- Includes a variety of industry-standard adapters, making installation a snap
- Easy to use and clean, the Axion® eye POD® activates with just a quick rotation
- Features a built-in thermostatic controlled safety valve that automatically shuts off eyewash flows
- Certified by CSA to meet ANSI standard Z358.1

Model No. SEC658
Mfg. No. 7620

Haws

axion® eyePOD®

9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA approved materials
- Gravity fed
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap
- Light design and mounting bracket (included)
- Freeze-Protection version SFV126 ideal for remote, low traffic area's
- Certified by CSA to meet ANSI standard Z358.1-2009

Haws

Model No.	Mfg. No.	Description
SAR314	7501	Portable Gravity Eyewash Fountain
SAR315	9082	Bacteriostatic Water Preservative, 5 oz., 4/Case
SFV126	7501T	Freeze-Protection and Tempered Gravity Eyewash Station, 120V
SFV127	7501T240	Freeze-Protection and Tempered Gravity Eyewash Station, 240V

WALL-MOUNT AXION MSR® EYE/FACE WASH STATIONS

- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Certified by CSA to meet ANSI standard Z358.1-2009

SEB239

Model No.	Mfg. No.	Description
EYE/FACE WASH		
SEB239	7260B-7270B	ABS Plastic Bowl
SEB240	7360B-7460B	Stainless Steel Bowl
ACCESSORIES		
SEB264	9102	Stainless Steel Dust Cover
SEI814	9201EW	Thermostatic Mixing Valve

HALO™ COMBINATION SHOWER & EYEWASH STATIONS

- Combine Halo™ eyewash technology with SpinTec™ shower features for high performance safety installations
- SpinTec™ showers yield superior fluid distribution
- Durable ABS plastic showerhead and bowl
- Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Optional see-through plastic dust cover (shown) makes inspection simple
- ULC certified to ANSI standard Z358.1-2009



SEB807

Model No.	Mfg. No.	Dust Cover Included
EYEWASH		
SEB801	S193140A1AAAA00	No
SEB803	S193140A1AABA00	Yes
EYE/FACE WASH		
SEB806	S193140A1ABAA00	No
SEB807	S193140A1ABBA00	Yes

OCCUPATIONAL HEALTH & SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility

Model No.	Refill No.	Container Type	Kit Type
FEDERAL			
SGB059	**SGB221**	10-unit plastic	Type A, 2-5 workers
SGB061	**SGB222**	24-unit plastic	Type B, 6-19 workers
SGB063	**SGB223**	#2 plastic	Type C, 20-199 workers
BRITISH COLUMBIA			
SGM222	**SGP226**	10-unit plastic	Basic
SGM225	**SGP227**	36-unit plastic	Level 1
SGM228	**SGP228**	48-unit plastic	Level 2
ALBERTA			
SGA916	**SGB226**	16-unit plastic	#1, 2-10 workers
SGA922	**SGB259**	24-unit plastic	#2, 11-49 workers
SGA985	**SGA940**	Metal Cabinet	#3, 50-99 workers
MANITOBA			
SGA913	**SGB216**	24-unit plastic	1-24 workers
SGA942	**SGB216**	36-unit plastic	1-24 workers

Model No.	Refill No.	Container Type	Kit Type
ONTARIO			
SGA993	**SGB248**	10-unit plastic	#A, 1-5 workers
SGA959	**SGB230**	36-unit plastic	#1, 6-15 workers
SGB073	**SGB238**	Metal box	#2, 16-200 workers
SGA946	**SGB264**	10-unit plastic	#TFB (Transport, Farm, Bush)
QUEBEC			
SGA965	**SGB233**	10-unit plastic	#1/85
SGA979	**SGB241**	36-unit plastic	#2/85
NEW BRUNSWICK			
SGB009	-	10-unit plastic	Personal
SGA958	**SGB229**	36-unit plastic	2-20 workers
NOVA SCOTIA			
SGA950	**SGB229**	10-unit plastic	#1, personal
SGA969	**SGB237**	16-unit plastic	#2, 2-20 workers
SGA983	**SGB245**	24-unit plastic	#3, 21-50 workers

Model No.	Refill No.	Container Type	Kit Type
PRINCE EDWARD ISLAND			
SGA951	**SGB231**	10-unit plastic	#1, 1-5 workers
SGA970	**SGB239**	24-unit plastic	#2, 5-15 workers
SGA984	**SGB246**	36-unit plastic	#3, 16-100 workers
NEWFOUNDLAND & LABRADOR			
SGA906	**SGB228**	10-unit plastic	#1, 1-5 workers
SGA919	**SGB236**	16-unit plastic	#2, 6-14 workers
SGA924	**SGB244**	24-unit plastic	#3, 200+ workers
NORTHWEST TERRITORIES			
SGB027	**SGB207**	24-unit plastic	#1, 1-15 workers
SGA908	**SGB208**	Metal box	#2, 16-19 workers
SGA909	**SGB209**	Metal box	#3, 20+ workers

COMPANIES WITH OVER 100 EMPLOYEES REQUIRE A FIRST AID ROOM

RESETTABLE BRASS COMBINATION PADLOCKS

- Easy "Set-your-Own" 4-digit combination with up to 10 000 combinations available
- Strong , solid brass case construction resists corrosion - ideal for harsh environments
- Heavy hardened steel shackles provide high resistance to cutting and prying
- **SEJ513** features a key override proving immediate access to supervisors in the field
- **SEJ514** control key sold separately

SEJ513

Model No.	Mfg. No.	Body Width"	Shackle Clearance Width"	Height"	Dia."	Shipping Weight lbs.
SAS366	175	2	1	1	5/16	0.60
SAG162	175LH	2	1	2 1/4	5/16	0.70
SEJ513	176	2	1	1	5/16	0.60
SEJ514	K176	Control Key				0.02

ECONOMY V-LINE BRASS PADLOCKS (NON-REKEYABLE)

- Solid brass body and cylinder construction resists corrosion - ideal for harsh environments
- Case hardened shackle resists sawing and filing
- Pin tumbler cylinder provides greater pick resistance
- Locks come with two keys
- For keyed alike options, please call us

SAS395

Model No.	Mfg. No.	Key Type	Body Width"	Shackle Clearance Width"	Height"	Dia."	Shipping Weight lbs.
SAS395	4120	Different	3/4	3/8	7/16	5/32	0.10
SAS396	4120KA	Alike	3/4	3/8	7/16	5/32	0.10
SAS397	4130	Different	1 1/8	9/16	9/16	3/16	0.20
SAS398	4130KA	Alike	1 1/8	9/16	9/16	3/16	0.20
SAS015	4140	Different	1 1/2	13/16	13/16	1/4	0.30
SAS400	4140KA	Alike	1 1/2	13/16	13/16	1/4	0.30
SAS401	4150	Different	1 7/8	1	15/16	9/32	0.40
SAS402	4150KA	Alike	1 7/8	1	15/16	9/32	0.40

PRO SERIES® WEATHER TOUGH™ SECURITY PADLOCKS (REKEYABLE)

- Constructed of hardened, chrome rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- Hardened boron alloy steel shackles offers superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us

SA903

Model No.	Mfg. No.	Key Type	Body Width"	Shackle Clearance Width"	Height"	Dia."	Shipping Weight lbs.
SAL433	6121	Different	2 1/8	7/8	1 1/8	5/16	1.00
SAL434	6121LJ	Different	2 1/8	7/8	2 1/2	5/16	1.05
SA902	6125	Different	2 3/8	7/8	1 3/8	3/8	1.20
SA903	6125KA	Alike	2 3/8	7/8	1 3/8	3/8	1.20

COMBINATION LOCKS

- World's best-selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- 1 7/8" wide double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- Different combinations

Model No.	Mfg. No.	Shackle Clearance Width"	Height"	Dia."
SR914	1500	13/16	3/4	9/32
SAL506	1500LH	13/16	2	9/32

ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive body
- Offers superior performance against chemicals, moisture, temperature and UV
- Reserved-for-safety cylinder provides over 40 000 unique key changes available
- Key retaining - ensures that padlocks are not left unlocked
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Locks comes with one key: Compliance with OSHA "one employee, one lock, one key" directive
- For extra keys, keyed alike options or master keying, please call us

Model No.	Mfg. No.	Colour	Body Width"	Shackle Clearance Width"	Height"	Dia."	Weight lbs.
SAL134	410BLK	Black	1 1/2	25/32	1 1/2	1/4	0.23
SAL135	410BLU	Blue	1 1/2	25/32	1 1/2	1/4	0.23
SAL136	410GRN	Green	1 1/2	25/32	1 1/2	1/4	0.23
SAL137	410ORJ	Orange	1 1/2	25/32	1 1/2	1/4	0.23
SAL138	410RED	Red	1 1/2	25/32	1 1/2	1/4	0.23
SAL139	410YLW	Yellow	1 1/2	25/32	1 1/2	1/4	0.23

LAMINATED PADLOCKS

- Each keyed different lock has a unique key for higher security
- Padlocks are made from rustproofed laminated steel
- **SGL311** and **SA888** are economic protection best suited for tamper resistant applications
- **SA890** and **SA892** provide medium general security, use on tool boxes, man hole covers
- **SA894** to **SA900** are high security locks that provide a higher tamper resistant lock body and shackle.
- Use on tool cribs, storage cabinets and gates
- All models include two keys

SA890

Model No.	Mfg. No.	Security Level	Locking Mechanism	Body Width"	Shackle Clearance Width"	Height"	Dia."	Wt lbs.
SGL311	22D	Medium	Warded	1 1/2	9/16	5/8	1/4	0.3
SA888	500	Medium	Warded	1 3/4	13/16	13/16	9/32	0.5
SA890	7	Medium	4-Pin Tumbler	1 1/8	1/2	9/16	3/16	0.2
SA892	7LJ	Medium	4-Pin Tumbler	1 1/8	1/2	2 1/2	3/16	0.2
SA894	3	High	4-Pin Tumbler	1 9/16	5/8	3/4	9/32	0.5
SA896	3LH	High	4-Pin Tumbler	1 9/16	5/8	2	9/32	0.5
SA898	1	High	4-Pin Tumbler	1 3/4	3/4	15/16	5/16	0.6
SA900	1LJ	High	4-Pin Tumbler	1 3/4	3/4	2 1/2	5/16	0.6

AMERICAN LOCK® ALUMINUM SAFETY PADLOCKS

- Lightweight solid aluminum body for lockout/tagout
- Durable, anodized colour finish is suitable for lockout/tagout procedures in food and pharmaceutical manufacturing
- Uses FDA approved lubricants safe for use in food processing
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Over 10 000 unique key changes available
- Keyed different
- Removable 5-pin cylinder can be replaced or repined
- Safety colour recognition, plus high security
- Key retaining option available. Includes two keys per lock
- Optional shackle heights of 1", 1-1/2" or 3" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site... ask about this service
- For master keying, please call us

Model No.	Mfg. No.	Colour	Body Width"	Body Height"	Shackle Clearance Width"	Height"	Dia."	Weight lbs.
SA0712	A1105BLK	Black	1 1/2	1 3/4	3/4	1	1/4	0.4
SA0713	A1105BLU	Blue	1 1/2	1 3/4	3/4	1	1/4	0.4
SA0714	A1105GRN	Green	1 1/2	1 3/4	3/4	1	1/4	0.4
SA0715	A1105ORJ	Orange	1 1/2	1 3/4	3/4	1	1/4	0.4
SA0716	A1105RED	Red	1 1/2	1 3/4	3/4	1	1/4	0.4
SA0717	A1105YLW	Yellow	1 1/2	1 3/4	3/4	1	1/4	0.4

LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight™ locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps

Model No.	Mfg. No.	Colour
SAL519	498A	Red

LABELED SNAP-ON HASPS

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodised aluminum and stainless steel construction for combined corrosion resistance and strength
- Up to five workers can apply their personal safety locks
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

Model No.	Mfg. No.	Colour
SAL541	427	Red
SAQ002	427YLW	Yellow

ROTATING GATE VALVE LOCKOUTS

- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Each size rotates into itself
- Each size nests within the next larger size
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C)
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

SAL531

SAL528

SAL529

Model No.	Mfg. No.	Description
SAL526	480	Fits 1" to 3" Diameter Valve Handle
SAL527	481	Fits 2" to 5" Diameter Valve Handle
SAL528	482	Fits 4" to 6 1/2" Diameter Valve Handle
SAL529	483	Fits 6" to 10" Diameter Valve Handle
SAL530	484	Fits 8" to 13" Diameter Valve Handle
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 & SAL530

ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, Zenex™ thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available

Model No.	Mfg. No.	Description
SED596	S806CBL3	Cable Lockout w/3' Cable
SED597	S806	Cable Lockout w/6' Cable
SED598	S806BL15	Cable Lockout w/15' Cable

LOCKOUT STATIONS

VIRTUALLY INDESTRUCTIBLE, THE STRONGEST STATIONS AVAILABLE!

- Integrated, 1-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Zenex™ locks available with up to 100 000 key changes available to fit even the largest lockout systems
- Lockout stations are bilingual with English/French labels and lockout tags
- Compliant with OSHA "One employee, One lock, One key" directive

4-LOCK STATION INCLUDES:

- Four Master Lock® Safety Series™ Padlocks
- Two Safety Series™ hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual Do Not Operate lockout I.D. tags with brass grommets
- Dimensions: 12 1/4" x 16" x 1 3/4"

SAO601

Model No.	Mfg. No.	Description
SA0598	1482BFRC	Base only
SA0601	1482BP3FRC	Station with Laminated Padlocks
SA0602	1482BP410FRC	Station with Zenex™ Padlocks
SA0603	1482BP1106FRC	Station with American Lock® Aluminum Padlocks

SAFETY LOCKOUT HASPS

- Keeps equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed
- Up to six workers at each lockout point
- Heavy gauge steel jaws resist prying against unauthorised access
- Lockout hasp has vinyl coated handles and is plated to resist rust
- Compatible with nos. 3, 410, 411, 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"

RED W/O LOCKING TABS

Model No.	Mfg. No.	Inside Jaw Clearance"
SA875	420	1
SA876	421	1 1/2

YELLOW (ECONOMY) W/LOCKING TABS

Model No.	Mfg. No.	Inside Jaw Clearance"
SAN507	422	1
SAN508	424	1 1/2

ROTATING ELECTRICAL PLUG LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C)
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- **SAL521** labels can be written on to identify the responsible person and then erased for the next job

SAL520

Padlock not included

SAL521

Model No.	Mfg. No.	For Electrical Plugs Up To
SAL520	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)
SAL521	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)

TRAFFIC CONES

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange color provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Québec, Ontario and Alberta

SEF026

Model No.	Height"	Base Dim. W" x L"	Collar	Wt. lbs.
SEF026	18	10 1/4 x 10 1/4	6" (QC, ON, AB)	3.15
SEF027	28	13 3/4 x 13 3/4	4" (ON, AB)	6.75
SEF028	28	13 3/4 x 13 3/4	6" and 4" (QC, ON, AB)	6.75

PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ high intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability

SEC153

Model No.	Description	Wt. lbs.
SEB773	Delineator Post Only	1.8
SGK247	Rubber Base	12
SEC153	Post and Base Kit	14

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall dimensions: 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.

SEE395

Model No.	Description
SEE395	Galvanized Finish
SEE396	Safety Yellow Finish

FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35"
- Tape length: 7'
- Recommended post spacing: 6'6"

Photo consists of 1 x SAS226 & 1 x SAS230

Model No.	Description	Tape Colour	Tape Length'
STANDARD			
SAS226	Stainless Steel Post with Cassette	Red	7
SAS227	Black Post with Cassette	Black	7
SAS230	Stainless Steel Receiver Post	-	-
SAS231	Black Receiver Post	-	-
SAFETY			
SAS228	Yellow Post with Cassette	Yellow	7
SAS229	Yellow Post with Cassette	Yellow (Caution Do Not Enter)	7
SEE818	Yellow Post with Cassette	Yellow (Attention Ne Pas Entrer)	7
SAS232	Yellow Receiver Post	-	-

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M™ high intensity collars
- High density interlocking base offers maximum stability
- Meets Ministry of Transport regulations for Quebec, Ontario and Alberta

SEB772

Model No.	Description	Base Dim. W" x L"	Wt. lbs.
TRAFFIC CONE			
SEB768	12"	8 5/8 x 8 5/8	2
SEB769	18"	10 1/4 x 10 1/4	3.3
SEB771	28"	13 3/4 x 13 3/4	7
TRAFFIC CONE W/COLLAR			
SEB770	18" w/6" Collar (QC, ON, AB)	10 1/4 x 10 1/4	3.3
SEB772	28" w/6" and 4" Collars (QC, ON, AB)	13 3/4 x 13 3/4	7
SEB826	28" w/4" Collar (ON, AB)	13 3/4 x 13 3/4	7

ONE-PIECE TRAFFIC CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
- Colour: Orange

SEH138

Model No.	Height"	Base Dimensions W" x L"
SEH138	18	10 1/4 x 10 1/4
SDP595	28	14 x 14

RETRACTABLE CONE BAR

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- Made of high quality ABS materials for best durability
- Fluorescent orange colour for enhanced daytime visibility
- 3M™ reflective tape offers maximum nighttime visibility and safety
- Collapsed Length: 4'5"
- Extended Length: 7'5"

Model No. SDP614

TRIANGULAR REFLECTOR KITS

- Ideal for increasing visibility around disabled vehicles
- Fast and easy to set up and stow away
- Weighted base provides additional stability
- Instructions for proper use are printed on the case and on each triangle
- Kit includes 3 Triangles and a red carry case
- Meets DOT FMVSS 125 standards

Model No. SGD773

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations and UV light
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 11" W x 2" H
- Capacity: approx. 18 tons at 10 km/h

SEH144

SEH142

Model No.	Description	Length	Spikes Required	Weight lbs.
SEH142	Speed Bump	4'	5	35
SEH143	Speed Bump	6'	4	55
SEH144	Rebar Spike	14"	-	-

ANTI-SKID TAPE

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant
- Length: 60'

Model No.	Width"	Colour
SDN088	2	Red/White
SDN089	2	Black/Yellow
SDN090	2	Yellow
SDN091	2	Red
SDN098	1	Black
SDN099	2	Black
SDN100	4	Black
SDN101	6	Black
SDN102	12	Black
SDN103	1	Clear
SDN104	2	Clear
SDN105	4	Clear
SDN106	6	Clear

TRACTION CLEAT

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Pre-cut sizes with rounded corners offer a finished look and prevents the corners from lifting
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant

SDN107

SDN108

SDN112



SDN111

Model No.	Dimensions W" x L"	Description	Qty /Pack
SDN107	3/4 x 24	Rounded Edge Strip	50
SDN108	3 x 24	Strip	50
SDN109	6 x 24	Strip	50
SDN110	6 x 30	Strip	50
SDN111	5 1/2 x 5 1/2	Square	50
SDN112	6 x 24	Strip w/Reflective Band	10
SDS936	6 x 24	Black/Yellow Strip	1

BARRICADE TAPE

- Warn against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene

Model No.	Message	Colour	Roll Size
STANDARD DUTY - 1.5 MIL			
SEK397	Caution	Black on Yellow	3" x 1000'
SFJ602	Caution	Black on Yellow	3" x 300'
SEK398	*Attention*	Black on Yellow	3" x 1000'
SEK399	Danger	Black on Red	3" x 1000'
SDS739	Danger	Black on Yellow	3" x 1000'
HEAVY-DUTY - 2.0 MIL			
SEK400	Caution	Black on Yellow	3" x 1000'
SEK401	*Attention*	Black on Yellow	3" x 1000'
SEK402	Danger	Black on Red	3" x 1000'
EXTRA HEAVY-DUTY - 2.5 MIL			
SEK403	Caution	Black on Yellow	3" x 1000'
SEK404	*Attention*	Black on Yellow	3" x 1000'
SEK405	Danger	Black on Red	3" x 1000'
SDS740	Danger	Black on Yellow	3" x 1000'

LINE-UP® STRIPING PAINT

- 20 oz. cans (18 oz. net weight)
- Available in non-burning water based formula for grass fi elds, solvent based formulas for pavement and removable formulas for synthetic turf surfaces that require quick change

Model No.	Description	Colour
WATER BASED - ATHLETIC FIELD		
NE333	White	
NE334	Yellow	
NI795	Turf Green	
SOLVENT BASED - PAVEMENT		
NE335	Highway White	
NE336	Highway Yellow	
NE337	Handicap Blue	
NE338	Firelane Red	
NE339	Cover-up Black	

Actual paint colours may vary

STRIPING MACHINES

- Engineered and designed for easy operation and durability
- 18-gauge all-steel construction
- 12-can storage
- Stripes widths of 2" to 4"

PAVEMENT STRIPING MACHINES

- 7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal
- Excellent for use in parking lots, warehouses, plants, factories, etc.

Model No. NE340

ATHLETIC FIELD STRIPING MACHINES

- 10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces
- Ideal for grass, dirt, gravel or any uneven surface

Model No. NE341

KRYLON INDUSTRIAL

NE340

QUICK-MARK™ MARKING PAINTS

KRYLON INDUSTRIAL

Inverted marking paints are VOC-compliant, lead-free and highly pigmented. Available in water and solvent based, 20-oz. cans (17 oz. net weight). Can be used with hand held wands.

Model No.	Solvent Base	Colour
NC320	Fl. Red/Orange	
NC321	Fl. Orange	
NC322	Fl. Safety Red	
NC323	Fl. Green	
NC324	White	
NC325	High Vis. Yellow	
NC326	Caution Blue	
NC327	Warning Orange	
NC328	Safety Red	
NC329	Safety Green	

Model No.	Water Base	Colour
NC331	White	
NC332	Utility Yellow	
NC333	Fl. Orange	
NC334	Fl. Red	
NC335	Fl. Safety Pink	
NC336	Fl. Blue	
NC337	Fl. Safety Green	
NC338	Fl. Red/Orange	

Actual paint colours may vary

MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1 1/2" wide stripe of paint

NC309

KRYLON INDUSTRIAL

NC310

Model No.	Description
NC309	Spotter Hand Held Wand 12"
NC310	Hand Held Wand 34"

MIRRORS

DOME MIRRORS

- Increase surveillance and prevent accidents due to blind corners
- Constructed of acrylic for added durability
- All mirrors have a black protective edge and hanging clips
- Full dome mirrors come with hanging chains and hooks
- All mirrors are open-topped

Ideal Locations:

360°	4-way intersections
180°	T-intersections
90°	Corner intersections

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products





Model No.	Mirror Dia."
FULL DOME – 360°	
SEJ875	20
SEJ876	24
SEJ877	31
SEJ878	47
HALF DOME - 180°	
SEJ879	20
SEJ880	24
SEJ881	31
SEJ882	47
QUARTER DOME - 90°	
SEJ883	20
SEJ884	24

INSPECTION MIRROR

- Ideal for viewing hard to see areas such as around corners or under vehicles and equipment
- 1" Swivel wheel allows for effortless maneuverability
- Lightweight design
- Handle Length: 47"
- Mirror Shape: Round
- Mirror Size: 8.5" dia.

Model No. SFQ773

ZENITH® Safety Products

ROUNDTANGULAR CONVEX MIRRORS

- Designed to fit into smaller spaces
- Grants the same view as a full sized convex mirror but occupies a smaller area
- Ideal for blind spots near machinery and areas where mounting space is limited
- Comes with adjustable arm

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products

SGP258

SGI557

Mirror Dia."	BLACK PVC BACK Model No.	Mounting Type	Model No.	Mounting Type	GALVANIZED STEEL BACK Model No.	Mounting Type	Model No.	Mounting Type
12 x18	**SDP528**	Telesc. Arm	**SGI557**	Bracket	**SDP532**	Telesc. Arm	**SGI561**	Bracket
18 x 26	**SDP529**	Telesc. Arm	**SGI558**	Bracket	**SDP533**	Telesc. Arm	**SGI562**	Bracket
20 x 30	**SDP530**	Telesc. Arm	**SGI559**	Bracket	**SDP534**	Telesc. Arm	**SGI563**	Bracket
24 x 36	**SDP531**	Telesc. Arm	**SGI560**	Bracket	**SDP535**	Telesc. Arm	**SGI564**	Bracket

CONVEX MIRRORS

- Removes blind spots reducing the chance of accidents caused by blind corners
- Includes adjustable arm
- Adjustable ball and swivel mount with 100° viewing angle

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products

SGI552

Mirror Dia."	BLACK PVC BACK Model No.	Mounting Type	Model No.	Mounting Type	GALVANIZED STEEL BACK Model No.	Mounting Type	Model No.	Mounting Type
12	**SGI547**	Telesc. Arm	**SDP505**	Bracket	**SGI552**	Telesc. Arm	**SDP500**	Bracket
18	**SGI548**	Telesc. Arm	**SDP506**	Bracket	**SGI553**	Telesc. Arm	**SDP501**	Bracket
26	**SGI549**	Telesc. Arm	**SDP507**	Bracket	**SGI554**	Telesc. Arm	**SDP502**	Bracket
30	**SGI550**	Telesc. Arm	**SDP508**	Bracket	**SGI555**	Telesc. Arm	**SDP503**	Bracket
36	**SGI551**	Telesc. Arm	**SDP509**	Bracket	**SGI556**	Telesc. Arm	**SDP504**	Bracket

CLOSED-TOP DOME MIRRORS

- Removes blind spots reducing the chance of accidents caused by blind corners
- Durable heavy-duty acrylic construction

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products

FULL DOME – 360°

Model No.	Mirror Dia."
SDP520	18
SDP521	26
SDP522	32
SDP523	48

HALF DOME – 180°

Model No.	Mirror Dia."*
SDP524	18
SDP525	26
SDP526	32
SDP527	48

* The dimensions listed are that of a full dome

DROP-IN CEILING PANEL DOMES

- One-piece drop-in dome replaces a standard 2' x 2' drop-ceiling tile
- Dome provides 360° viewing for optimal surveillance
- Ideal for 4-way intersections
- Diameter: 24"

Model No. SDP536

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

ZENITH® Safety Products